

Partial List of Orphan Wells in Indiana*

(For further information about these sites contact Mary Estrada at 317-233-0933)

County **Adams**

Last Operator Gunner Energy Corporation

Permit	47089	1 HUGO & EMMA BOERGER	28 N 14 E	Section 15
--------	--------------	-----------------------	-----------	------------

The well noted above requires the following corrective action(s) to bring it into compliance:

Last Operator Meteor Developments of Indiana Inc.

Permit	47773	1 C & E SMITLEY-RK BROOKS	25 N 15 E	Section 6
--------	--------------	---------------------------	-----------	-----------

The well noted above requires the following corrective action(s) to bring it into compliance:

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Meteor Developments of Indiana Inc.

Permit	47955	3 SMITLEY-BROOKS	25 N 15 E	Section 6
--------	--------------	------------------	-----------	-----------

The well noted above requires the following corrective action(s) to bring it into compliance:

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Meteor Developments of Indiana Inc.

Permit	48174	1 SMITLEY/ABNET	25 N 15 E	Section 6
--------	--------------	-----------------	-----------	-----------

The well noted above requires the following corrective action(s) to bring it into compliance:

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Gunner Energy Corporation

Permit	48676	2 HUGO BOERGER	28 N 14 E	Section 15
--------	--------------	----------------	-----------	------------

The well noted above requires the following corrective action(s) to bring it into compliance:

Properly fill and level the pits and restore the wellsites to as near pre-excavation contours as possible per 312 IAC 16-5-12.

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Properly fill and level the pits and restore the wellsites to as near pre-excavation contours as possible per 312 IAC 16-5-12.

Last Operator Gunner Energy Corporation

Permit	48704	3 HUGO BOERGER	28 N 14 E	Section 14
--------	--------------	----------------	-----------	------------

The well noted above requires the following corrective action(s) to bring it into compliance:

Properly fill and level the pits and restore the wellsites to as near pre-excavation contours as possible per 312 IAC 16-5-12.

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

County **Decatur**

Last Operator Regency II Limited Partnership

Permit	35128	1 FRANK BRADEN	10	N	8	E	Section 11
--------	--------------	----------------	----	---	---	---	------------

The well noted above requires the following corrective action(s) to bring it into compliance:

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Regency II Limited Partnership

Permit	35213	1 RAY & ALTA CALENDAR	10	N	8	E	Section 24
--------	--------------	-----------------------	----	---	---	---	------------

The well noted above requires the following corrective action(s) to bring it into compliance:

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

County **Dubois**

Last Operator Quadrant Exploration, Inc.

Permit	26894	2-A Alfred Weyer	3 S	4 W	Section 22
--------	--------------	------------------	-----	-----	------------

The well noted above requires the following corrective action(s) to bring it into compliance:

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Matthew G. Dillon dba Dillon Oil Co

Permit	27235	5 WM. WEYER	3 S	4 W	Section 26
--------	--------------	-------------	-----	-----	------------

The well noted above requires the following corrective action(s) to bring it into compliance:

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10. NOTE: This identification must be readable from 20 feet.

Last Operator Quadrant Exploration, Inc.

Permit	28288	K-1 Aloysius Kippenbrock	3 S	4 W	Section 22
--------	--------------	--------------------------	-----	-----	------------

The well noted above requires the following corrective action(s) to bring it into compliance:

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Quadrant Exploration, Inc.

Permit	32007	8 ALFRED WEYER & SON INC.	3 S	4 W	Section 22
--------	--------------	---------------------------	-----	-----	------------

The well noted above requires the following corrective action(s) to bring it into compliance:

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Don Davis

Permit	34632	1 CLARENCE HUDSON	2 S	5 W	Section 6
--------	--------------	-------------------	-----	-----	-----------

The well noted above requires the following corrective action(s) to bring it into compliance:

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10. NOTE: This identification must be readable from 20 feet.

Last Operator Quadrant Exploration, Inc.

Permit	39411	KB 1 ALOYSIUS KIPPENBROCK	3 S	4 W	Section 23
--------	--------------	---------------------------	-----	-----	------------

The well noted above requires the following corrective action(s) to bring it into compliance:

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Quadrant Exploration, Inc.

Permit	39412	KB-10 Aloysius Kippenbrock	3 S	4 W	Section 23
--------	--------------	----------------------------	-----	-----	------------

The well noted above requires the following corrective action(s) to bring it into compliance:

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Quadrant Exploration, Inc.

Permit	39413	KB 3 ALOYSIUS KIPPENBROCK	3 S	4 W	Section 23
--------	--------------	---------------------------	-----	-----	------------

The well noted above requires the following corrective action(s) to bring it into compliance:

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Quadrant Exploration, Inc.

Permit	39414	2B ALFRED WEYER & SON INC.	3 S	4 W	Section 22
--------	--------------	----------------------------	-----	-----	------------

The well noted above requires the following corrective action(s) to bring it into compliance:

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Quadrant Exploration, Inc.

Permit	39416	I-8 Alfred Weyer	3	S	4	W	Section 22
The well noted above requires the following corrective action(s) to bring it into compliance:							

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Petrostates Resources INC.

Permit	41184	1 Urban Hopf	2	S	6	W	Section 26
The well noted above requires the following corrective action(s) to bring it into compliance:							

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.
NOTE: This identification must be readable from 20 feet.

County **Gibson**

Last Operator Integrity Energy Systems Inc

Permit	15099	1 FITHIAN-LYNCH	1 S	10 W	Donation 60
The well noted above requires the following corrective action(s) to bring it into compliance:					

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator Integrity Energy Systems Inc

Permit	15974	1 C. CHANDLER	1 S	9 W	Section 21
The well noted above requires the following corrective action(s) to bring it into compliance:					

Construct a firewall that Forms a continuous barrier around the tank battery capable of holding one and one-half (1 1/2) times the battery capacity in accordance with 312 IAC 16-5-11.

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.
NOTE: This identification must be readable from 20 feet.

Clean oil and debris from pit areas in accordance with 312 IAC 16-5-11.

Last Operator R. E. Anderson Oil Company

Permit	18194	1 CLETUS HARDIMAN	2 S	11 W	Section 9
The well noted above requires the following corrective action(s) to bring it into compliance:					

Reduce the injection pressure and / or rate to meet the specifications of the permit in accordance with 312 IAC 16-5-14.

Last Operator Totem Petroleum Corporation

Permit	19428	2 R.A. MCELLHINEY	1 S	9 W	Section 31
The well noted above requires the following corrective action(s) to bring it into compliance:					

Cease injection, perform and pass a mechanical integrity test as prescribed by 312 IAC 16-5-15.

Last Operator Integrity Energy Systems Inc

Permit	21722	1 K & C CROMER	3 S	9 W	Section 15
The well noted above requires the following corrective action(s) to bring it into compliance:					

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator Integrity Energy Systems Inc

Permit	22159	2 C. CHANDLER	1 S	9 W	Section 21
The well noted above requires the following corrective action(s) to bring it into compliance:					

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator Integrity Energy Systems Inc

Permit	23265	1 CROMER-OTTO	3 S	9 W	Section 15
The well noted above requires the following corrective action(s) to bring it into compliance:					

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.
NOTE: This identification must be readable from 20 feet.

Last Operator Integrity Energy Systems Inc

Permit	23673	1A K & C CROMER	3 S	9 W	Section 15
The well noted above requires the following corrective action(s) to bring it into compliance:					

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator Integrity Energy Systems Inc

Permit	23903	1 CROMER-OTTO-NUL	3 S	9 W	Section 15
The well noted above requires the following corrective action(s) to bring it into compliance:					

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.
NOTE: This identification must be readable from 20 feet.

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Price Well Service, Vaughn Price

Permit	33940	3 J. HESTON ETAL	3 S	13 W	Section 8
The well noted above requires the following corrective action(s) to bring it into compliance:					

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator Price Well Service, Vaughn Price

Permit	33942	1 JOSEPH HESTON ETAL	3 S	13 W	Section 8
The well noted above requires the following corrective action(s) to bring it into compliance:					

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator Integrity Energy Systems Inc

Permit	37576	2 R. LEFLER	3 S	9 W	Section 6
The well noted above requires the following corrective action(s) to bring it into compliance:					

Properly fill and level the pit per 312 IAC 16-5-13. NOTE: Evaporation pits are prohibited.

Last Operator Integrity Energy Systems Inc

Permit	38327	1 JERRY RILEY	3 S	9 W	Section 7
The well noted above requires the following corrective action(s) to bring it into compliance:					

Remove all vegetation and inflammable materials from all well operations and facilities as per 312 IAC 16-5-11.

Properly fill and level the pit per 312 IAC 16-5-13. NOTE: Evaporation pits are prohibited.

Construct a firewall that Forms a continuous barrier around the tank battery capable of holding one and one-half (1 1/2) times the battery capacity in accordance with 312 IAC 16-5-11.

Last Operator Sunfield Oil Co.

Permit	39786	CU 1 RIGGS-MARVEL	1 S	11 W	Section 18
The well noted above requires the following corrective action(s) to bring it into compliance:					

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator Integrity Energy Systems Inc

Permit	40557	4 RICHARD LEGLER	3 S	9 W	Section 6
The well noted above requires the following corrective action(s) to bring it into compliance:					

Construct a firewall that Forms a continuous barrier around the tank battery capable of holding one and one-half (1 1/2) times the battery capacity in accordance with 312 IAC 16-5-11.

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.
NOTE: This identification must be readable from 20 feet.

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Edmar Oil

Permit	41372	CU 1 HOWARD & BETTY WOODS	2 S	10 W	Section 16
The well noted above requires the following corrective action(s) to bring it into compliance:					

Operate , formally T / A, plug and abandon, or re-permit for production in accordance with IC 14-37-8. NOTE: Operation and T / A require a pressure test.

Last Operator Price Well Service, Vaughn Price

Permit	41516	2 ELDON KRIES	3 S	13 W	Section 8
The well noted above requires the following corrective action(s) to bring it into compliance:					

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator Lloyd Chatham

Permit	42688	1 CHARLES PARMENTER	2 S 11 W	Section 15
The well noted above requires the following corrective action(s) to bring it into compliance:				

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Integrity Energy Systems Inc

Permit	42793	3 RICHARD LEFLER	3 S 9 W	Section 6
The well noted above requires the following corrective action(s) to bring it into compliance:				

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator Griswold & Associates, Inc.

Permit	43038	1 HENERY STEPHENS	1 N 10 W	Section 21
The well noted above requires the following corrective action(s) to bring it into compliance:				

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10. NOTE: This identification must be readable from 20 feet.

Remove all vegetation and inflammable materials from all well operations and facilities as per 312 IAC 16-5-11.

Last Operator Griswold & Associates, Inc.

Permit	43151	3 HENERY STEPHENS	1 N 10 W	Section 20
The well noted above requires the following corrective action(s) to bring it into compliance:				

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10. NOTE: This identification must be readable from 20 feet.

Remove all vegetation and inflammable materials from all well operations and facilities as per 312 IAC 16-5-11.

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Price Well Service, Vaughn Price

Permit	43395	2 CONSOL LAND DEVELOP	2 S 9 W	Section 29
The well noted above requires the following corrective action(s) to bring it into compliance:				

Last Operator Price Well Service, Vaughn Price

Permit	43396	3 CONSOL LAND DEVELOP	2 S 9 W	Section 29
The well noted above requires the following corrective action(s) to bring it into compliance:				

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10. NOTE: This identification must be readable from 20 feet.

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Remove all vegetation and inflammable materials from all well operations and facilities as per 312 IAC 16-5-11.

Last Operator Price Well Service, Vaughn Price

Permit	43399	1-WI CONSOL. LAND DEVELOP. CO.	2 S 9 W	Section 29
The well noted above requires the following corrective action(s) to bring it into compliance:				

Cease injection, perform and pass a mechanical integrity test as prescribed by 312 IAC 16-5-15.

Last Operator Price Well Service, Vaughn Price

Permit	43400	5WI CONOL LAND DEVEL	2 S 9 W	Section 29
The well noted above requires the following corrective action(s) to bring it into compliance:				

Last Operator

Permit	44806	1 HENRY MORGAN	3 S	9 W	Section 3
The well noted above requires the following corrective action(s) to bring it into compliance:					

Submit Quarterly Monitoring Report in accordance with 312 IAC 16-5-18.

Last Operator Neer Oil Corp.

Permit	44858	1-WI HARVEY KOLB UNIT	1 S	10 W	Section 15
The well noted above requires the following corrective action(s) to bring it into compliance:					

Last Operator

Permit	46349	1 DWAYNE LEE	2 S	9 W	Section 26
The well noted above requires the following corrective action(s) to bring it into compliance:					

Last Operator Bush Independent Oil Producers

Permit	46961	1 Constance Nurrenbern	2 S	10 W	Section 15
The well noted above requires the following corrective action(s) to bring it into compliance:					

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator Arc Exploration Inc.

Permit	47203	1 KARL HAWLES	3 S	9 W	Section 21
The well noted above requires the following corrective action(s) to bring it into compliance:					

Construct a firewall that Forms a continuous barrier around the tank battery capable of holding one and one-half (1 1/2) times the battery capacity in accordance with 312 IAC 16-5-11.

Remove all vegetation and inflammable materials from all well operations and facilities as per 312 IAC 16-5-11.

Last Operator Lloyd Chatham

Permit	48862	#1 HALL-HORRALL	1 S	10 W	Location 99
The well noted above requires the following corrective action(s) to bring it into compliance:					

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Remove all vegetation and inflammable materials from all well operations and facilities as per 312 IAC 16-5-11.

Last Operator Lloyd Chatham

Permit	48863	#1 HELEN HORRALL	1 S	10 W	Location 99
The well noted above requires the following corrective action(s) to bring it into compliance:					

Remove all vegetation and inflammable materials from all well operations and facilities as per 312 IAC 16-5-11.

Perform cleanup operations to properly remove and dispose of oil which was spilled at your facility as per 312 IAC 16-5-11.

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Lloyd Chatham

Permit	49994	1 SUSAN KOLB MAYER	1 S	10 W	Location
The well noted above requires the following corrective action(s) to bring it into compliance:					

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Properly fill and level the pit per 312 IAC 16-5-13. NOTE: Evaporation pits are prohibited.

Last Operator Basic Natural Resources

Permit	33021	1 SHAKE-WILLIAMS	6 N	7 W	Section 34
--------	--------------	------------------	-----	-----	------------

The well noted above requires the following corrective action(s) to bring it into compliance:

Construct a firewall that Forms a continuous barrier around the tank battery capable of holding one and one-half (1 1/2) times the battery capacity in accordance with 312 IAC 16-5-11.

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.

NOTE: This identification must be readable from 20 feet.

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Basic Natural Resources

Permit	35104	1-32 EVELYN P. HORNING	7 N	6 W	Section 32
--------	--------------	------------------------	-----	-----	------------

The well noted above requires the following corrective action(s) to bring it into compliance:

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Remove all vegetation and inflammable materials from all well operations and facilities as per 312 IAC 16-5-11.

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.

NOTE: This identification must be readable from 20 feet.

Last Operator Basic Natural Resources

Permit	35105	1-31 FRED A X	7 N	6 W	Section 31
--------	--------------	---------------	-----	-----	------------

The well noted above requires the following corrective action(s) to bring it into compliance:

Remove all vegetation and inflammable materials from all well operations and facilities as per 312 IAC 16-5-11.

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.

NOTE: This identification must be readable from 20 feet.

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Construct a firewall that Forms a continuous barrier around the tank battery capable of holding one and one-half (1 1/2) times the battery capacity in accordance with 312 IAC 16-5-11.

Last Operator Michael Hasler

Permit	43062	1 THOMAS C. & HILDA MARTIN	6 N	5 W	Section 17
--------	--------------	----------------------------	-----	-----	------------

The well noted above requires the following corrective action(s) to bring it into compliance:

Remove casing to a depth of three (3) feet, remove equipment and debris and restore site to as near pre-drilling conditions as possible in accordance with 312 IAC 16-5-19.

Last Operator Basic Natural Resources

Permit	48155	1 BERT SHAKE ETAL	6 N	7 W	Section 34
--------	--------------	-------------------	-----	-----	------------

The well noted above requires the following corrective action(s) to bring it into compliance:

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.

NOTE: This identification must be readable from 20 feet.

Last Operator Basic Natural Resources

Permit	48160	1 POWERS & POWERS FARMS INC	6 N	7 W	Section 34
--------	--------------	-----------------------------	-----	-----	------------

The well noted above requires the following corrective action(s) to bring it into compliance:

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10. NOTE: This identification must be readable from 20 feet.

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Basic Natural Resources

Permit	48182	2 BERT SHAKE	6 N	7 W	Section 34
--------	--------------	--------------	-----	-----	------------

The well noted above requires the following corrective action(s) to bring it into compliance:

Repair all well equipment and facilities to prevent the escape of oil or gas as per 312 IAC 16-5-13.

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.
NOTE: This identification must be readable from 20 feet.

Last Operator Basic Natural Resources

Permit	48848	#3 BERT SHAKE	6	N	7	W	Section 34
The well noted above requires the following corrective action(s) to bring it into compliance:							

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.
NOTE: This identification must be readable from 20 feet.

Last Operator Basic Natural Resources

Permit	48890	1 HAZEL WILLIAMS	6	N	7	W	Section 34
The well noted above requires the following corrective action(s) to bring it into compliance:							

Construct a firewall that Forms a continuous barrier around the tank battery capable of holding one and one-half (1 1/2) times the battery capacity in accordance with 312 IAC 16-5-11.

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.
NOTE: This identification must be readable from 20 feet.

Last Operator Basic Natural Resources

Permit	49898	2 SHAKE-WILLIAMS	6	N	7	W	Section 34
The well noted above requires the following corrective action(s) to bring it into compliance:							

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.
NOTE: This identification must be readable from 20 feet.

County **Harrison**

Last Operator W. H. Fox

Permit	28425	2 W. H. FOX	6	S	5	E	Section 7
The well noted above requires the following corrective action(s) to bring it into compliance:							

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

County Jay

Last Operator Hamilton Enterprises

Permit	39099	1 WILLIAM NUCKOLS	22	N	14	E	Section 26
The well noted above requires the following corrective action(s) to bring it into compliance:							

Plug and abandon the well in accordance with 312 IAC 16-5-19. NOTE: This well is not permitted and may not be operated or temporarily abandoned.

County **Knox**

Last Operator R. W. Richardson Estate

Permit	11684	2 G. STECKLER	1 N 12 W	Section 36
The well noted above requires the following corrective action(s) to bring it into compliance:				

Remove all vegetation and inflammable materials from all well operations and facilities as per 312 IAC 16-5-11.

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.
NOTE: This identification must be readable from 20 feet.

Last Operator

Permit	31335	5 JOHN BAUER	2 N 10 W	Section 18
The well noted above requires the following corrective action(s) to bring it into compliance:				

Last Operator Kenneth Hyatt, Sr.

Permit	36837	1 Field Farms	1 N 10 W	Survey 1
The well noted above requires the following corrective action(s) to bring it into compliance:				

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Remove all vegetation and inflammable materials from all well operations and facilities as per 312 IAC 16-5-11.

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.
NOTE: This identification must be readable from 20 feet.

Last Operator

Permit	48627	1 ROY STEWART	2 N 8 W	Section 31
The well noted above requires the following corrective action(s) to bring it into compliance:				

Install connections as required to allow field inspector to monitor tubing and annulus pressures at the wellhead per 312 IAC 16-5-14.

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Cease injection and repair or replace all equipment so as to confine injected fluids to the permitted interval per 312 IAC 16-5-15.
NOTE: A successful demonstration of mechanical integrity is required after repair.

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.
NOTE: This identification must be readable from 20 feet.

Properly remove and dispose of oil and waste fluids from the inside of the firewall per 312 IAC 16-5-11.

Remove casing to a depth of three (3) feet, remove equipment and debris and restore site to as near pre-drilling conditions as possible in accordance with 312 IAC 16-5-19.

Remove all vegetation and inflammable materials from all well operations and facilities as per 312 IAC 16-5-11.

Last Operator Price Well Service, Vaughn Price

Permit	48630	1 BERTIE TAYLOR	1 N 8 W	Location 7
The well noted above requires the following corrective action(s) to bring it into compliance:				

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator Price Well Service, Vaughn Price

Permit	48648	1 PAUL LIKE	2 N 9 W	Donation 170
The well noted above requires the following corrective action(s) to bring it into compliance:				

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator Basic Natural Resources

Permit	48740	#1 SECURITY BANK&TRUST ETAL	1 N 10 W	Section 18
The well noted above requires the following corrective action(s) to bring it into compliance:				

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Permit	48834	#2 SWD SUSAN STANBRO	1	N	10	W	Section 8
The well noted above requires the following corrective action(s) to bring it into compliance:							

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.
NOTE: This identification must be readable from 20 feet.

Permit	48872	1 HELEN HORRALL	2	N	10	W	Section 32
The well noted above requires the following corrective action(s) to bring it into compliance:							

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

County **Miami**

Last Operator Meteor Developments of Indiana Inc.

Permit	17224	2 FRANK DANIELS	27 N	5 E	Section 19
The well noted above requires the following corrective action(s) to bring it into compliance:					

Remove all vegetation and inflammable materials from all well operations and facilities as per 312 IAC 16-5-11.

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Meteor Developments of Indiana Inc.

Permit	24514	6 FRANK & DORA BUTT	27 N	4 E	R. Reserve 13
The well noted above requires the following corrective action(s) to bring it into compliance:					

Operate , formally T / A, plug and abandon, or re-permit for production in accordance with IC 14-37-8. NOTE: Operation and T / A require a pressure test.

Cease injection, perform and pass a mechanical integrity test as prescribed by 312 IAC 16-5-15.

Last Operator Meteor Developments of Indiana Inc.

Permit	41235	1 WOODRUFF	27 N	5 E	Section 19
The well noted above requires the following corrective action(s) to bring it into compliance:					

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Enhanced Oil Recovery, Inc.

Permit	41748	2 HERBERT & BETTY EBERT	27 N	4 E	Section 22
The well noted above requires the following corrective action(s) to bring it into compliance:					

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10. NOTE: This identification must be readable from 20 feet.

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Meteor Developments of Indiana Inc.

Permit	42273	1-82 OPAL ARNHOLT	27 N	5 E	Section 19
The well noted above requires the following corrective action(s) to bring it into compliance:					

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Charles Songer

Permit	48701	1 BECK	27 N	5 E	Section 18
The well noted above requires the following corrective action(s) to bring it into compliance:					

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10. NOTE: This identification must be readable from 20 feet.

Remove all vegetation and inflammable materials from all well operations and facilities as per 312 IAC 16-5-11.

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Meteor Developments of Indiana Inc.

Permit	48760	5 GRETZINGER	27 N	4 E	Section 29
The well noted above requires the following corrective action(s) to bring it into compliance:					

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Meteor Developments of Indiana Inc.

Permit	48893	9 GRETZINGER	27 N	4 E	Section 29
The well noted above requires the following corrective action(s) to bring it into compliance:					

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Meteor Developments of Indiana Inc.

Permit	48925	12A WILLIS & JOYCE MARBURGER	27	N	4	E	Section 29
The well noted above requires the following corrective action(s) to bring it into compliance:							

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.
NOTE: This identification must be readable from 20 feet.

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Meteor Developments of Indiana Inc.

Permit	48929	7A WILLIS & JOYCE MARBURGER	27	N	4	E	Section 29
The well noted above requires the following corrective action(s) to bring it into compliance:							

Last Operator Meteor Developments of Indiana Inc.

Permit	48940	2 KOKOMO TUBE INC.	27	N	4	E	Section 28
The well noted above requires the following corrective action(s) to bring it into compliance:							

Perform cleanup operations to properly remove and dispose of oil which was spilled at your facility as per 312 IAC 16-5-11.

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Remove all vegetation and inflammable materials from all well operations and facilities as per 312 IAC 16-5-11.

Repair the pipes conveying waste fluids and repair all damage caused by the escape of fluids per 312 IAC 16-5-13.

Last Operator Meteor Developments of Indiana Inc.

Permit	48941	#1 KOKOMO TUBE INC.	27	N	4	E	Section 28
The well noted above requires the following corrective action(s) to bring it into compliance:							

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Meteor Developments of Indiana Inc.

Permit	49050	7 BABER	27	N	4	E	Section 21
The well noted above requires the following corrective action(s) to bring it into compliance:							

Perform cleanup operations to properly remove and dispose of oil which was spilled at your facility as per 312 IAC 16-5-11.

Last Operator Meteor Developments of Indiana Inc.

Permit	49080	18 SOAMES	27	N	4	E	Section 28
The well noted above requires the following corrective action(s) to bring it into compliance:							

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Remove all vegetation and inflammable materials from all well operations and facilities as per 312 IAC 16-5-11.

Last Operator Meteor Developments of Indiana Inc.

Permit	49096	19 SOAMES	27	N	4	E	Section 28
The well noted above requires the following corrective action(s) to bring it into compliance:							

Last Operator Meteor Developments of Indiana Inc.

Permit	49147	3 KOKOMO TUBE	27	N	4	E	Section 28
The well noted above requires the following corrective action(s) to bring it into compliance:							

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Meteor Developments of Indiana Inc.

Permit	49201	2 ROCK INDUSTRIES	27	N	4	E	Section 29
The well noted above requires the following corrective action(s) to bring it into compliance:							

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Meteor Developments of Indiana Inc.

Permit	49202	1 WEISELL BABER	27	N	4	E	Section 21
The well noted above requires the following corrective action(s) to bring it into compliance:							

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Meteor Developments of Indiana Inc.

Permit	49212	#5B TILLET	27	N	4	E	Section 21
The well noted above requires the following corrective action(s) to bring it into compliance:							

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Meteor Developments of Indiana Inc.

Permit	49216	2 WEISELL BABER	27	N	4	E	Section 21
The well noted above requires the following corrective action(s) to bring it into compliance:							

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Meteor Developments of Indiana Inc.

Permit	49218	3 SNOWDEN BABER	27	N	4	E	Section 28
The well noted above requires the following corrective action(s) to bring it into compliance:							

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Meteor Developments of Indiana Inc.

Permit	49223	6C SOAMES	27	N	4	E	Section 28
The well noted above requires the following corrective action(s) to bring it into compliance:							

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Meteor Developments of Indiana Inc.

Permit	49228	205 SOAMES	27	N	4	E	Section 28
The well noted above requires the following corrective action(s) to bring it into compliance:							

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Meteor Developments of Indiana Inc.

Permit	49229	#210 SOAMES	27	N	4	E	Section 28
The well noted above requires the following corrective action(s) to bring it into compliance:							

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Meteor Developments of Indiana Inc.

Permit	49231	6B TILLET	27	N	4	E	Section 21
The well noted above requires the following corrective action(s) to bring it into compliance:							

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Meteor Developments of Indiana Inc.

Permit	49303	8 BABER	27	N	4	E	Section 21
The well noted above requires the following corrective action(s) to bring it into compliance:							

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Meteor Developments of Indiana Inc.

Permit	49587	#4 COLE	27	N	4	E	Section 21
The well noted above requires the following corrective action(s) to bring it into compliance:							

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Meteor Developments of Indiana Inc.

Permit	49636	2 ALBERT COLE	27	N	4	E	Section 21
The well noted above requires the following corrective action(s) to bring it into compliance:							

Install connections as required to allow field inspector to monitor tubing and annulus pressures at the wellhead per 312 IAC 16-5-14.

Last Operator Meteor Developments of Indiana Inc.

Permit	49696	19-S20 SOAMES	27	N	4	E	Section 28
The well noted above requires the following corrective action(s) to bring it into compliance:							

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

County **Perry**

Last Operator L. L. & S. Gas Company

Permit	9022	4 JOHN HESS	5 S	3 W	Section 32
The well noted above requires the following corrective action(s) to bring it into compliance:					

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Remove all vegetation and inflammable materials from all well operations and facilities as per 312 IAC 16-5-11.

Properly remove and dispose of oil and waste fluids from the inside of the firewall per 312 IAC 16-5-11.

Last Operator L. L. & S. Gas Company

Permit	11951	2 JOHN HESS	5 S	3 W	Section 33
The well noted above requires the following corrective action(s) to bring it into compliance:					

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator L. L. & S. Gas Company

Permit	13653	4 JOHN HESS	5 S	3 W	Section 33
The well noted above requires the following corrective action(s) to bring it into compliance:					

Remove all vegetation and inflammable materials from all well operations and facilities as per 312 IAC 16-5-11.

Properly remove and dispose of oil and waste fluids from the inside of the firewall per 312 IAC 16-5-11.

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator C. E. Energy Co., Inc.

Permit	41989	3 JOSEPH & AGNES LASHER	5 S	3 W	Section 2
The well noted above requires the following corrective action(s) to bring it into compliance:					

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10. NOTE: This identification must be readable from 20 feet.

Last Operator C. E. Energy Co., Inc.

Permit	41990	4 JOSEPH & AGNES LASHER	5 S	3 W	Section 2
The well noted above requires the following corrective action(s) to bring it into compliance:					

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Properly fill and level the pit per 312 IAC 16-5-13. NOTE: Evaporation pits are prohibited.

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10. NOTE: This identification must be readable from 20 feet.

Last Operator C. J. Warren Oil Company

Permit	45253	1 EUGENE LYONS	3 S	3 W	Section 26
The well noted above requires the following corrective action(s) to bring it into compliance:					

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Terra Firma Corp.

Permit	48774	#1 CHARLES WERNER	6 S	3 W	Section 8
The well noted above requires the following corrective action(s) to bring it into compliance:					

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Remove all vegetation and inflammable materials from all well operations and facilities as per 312 IAC 16-5-11.

Permit	48900	1 LOUIS & AGNES EVRARD	5 S	2 W	Section 17
--------	--------------	------------------------	-----	-----	------------

The well noted above requires the following corrective action(s) to bring it into compliance:

County **Pike**

Last Operator

Permit	3910	4 ALICE STEWART	1	N	9	W	Survey 16
The well noted above requires the following corrective action(s) to bring it into compliance:							

Last Operator

Permit	5104	2 WM & NANCY COFFMAN	1	N	9	W	Section 22
The well noted above requires the following corrective action(s) to bring it into compliance:							

Last Operator

Permit	5153	2 ESSIE STEWART	1	N	9	W	Survey 15
The well noted above requires the following corrective action(s) to bring it into compliance:							

Last Operator

Permit	5311	3 ESSIE STEWART	1	N	9	W	Section 22
The well noted above requires the following corrective action(s) to bring it into compliance:							

Last Operator

Permit	5312	3 WM. COFFMAN	1	N	9	W	Section 22
The well noted above requires the following corrective action(s) to bring it into compliance:							

Last Operator

Permit	6508	2 HARRY HUNTER	1	N	9	W	Section 15
The well noted above requires the following corrective action(s) to bring it into compliance:							

Last Operator Integrity Energy Systems Inc

Permit	6654	5 GERALD WIREY	1	S	9	W	Section 9
The well noted above requires the following corrective action(s) to bring it into compliance:							

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator Integrity Energy Systems Inc

Permit	7497	1 DENVER MCROBERTS	1	S	9	W	Section 10
The well noted above requires the following corrective action(s) to bring it into compliance:							

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator Integrity Energy Systems Inc

Permit	7986	1A GERALD WIREY	1	S	9	W	Section 4
The well noted above requires the following corrective action(s) to bring it into compliance:							

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator Integrity Energy Systems Inc

Permit	8141	2A GERALD WIREY	1	S	9	W	Section 4
The well noted above requires the following corrective action(s) to bring it into compliance:							

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator Integrity Energy Systems Inc

Permit	9366	4A GERLAND WIREY	1	S	9	W	Section 4
The well noted above requires the following corrective action(s) to bring it into compliance:							

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator Integrity Energy Systems Inc

Permit	11418	6A GERALD WIREY	1	S	9	W	Section 4
The well noted above requires the following corrective action(s) to bring it into compliance:							

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator Integrity Energy Systems Inc

Permit	11993	6 GERALD WIREY	1	S	9	W	Section 9
The well noted above requires the following corrective action(s) to bring it into compliance:							

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator J. W. McClurg

Permit	12243	1 CLAUDE N. HALE	1	S	9	W	Section 14
The well noted above requires the following corrective action(s) to bring it into compliance:							

Last Operator Integrity Energy Systems Inc

Permit	12420	1 MOSES HOWARD, ET AL COMM.	1	S	8	W	Section 16
The well noted above requires the following corrective action(s) to bring it into compliance:							

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator Integrity Energy Systems Inc

Permit	12473	2 MOSES HOWARD, ET ALL COMM	1	S	8	W	Section 16
The well noted above requires the following corrective action(s) to bring it into compliance:							

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator

Permit	12551	1 C. & E. STEWART	1	N	9	W	Survey 16
The well noted above requires the following corrective action(s) to bring it into compliance:							

Last Operator Price Well Service, Vaughn Price

Permit	13209	10 JESSE BARRETT	1	S	9	W	Section 23
The well noted above requires the following corrective action(s) to bring it into compliance:							

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator Price Well Service, Vaughn Price

Permit	13747	5 JESSE BARRETT	1	S	9	W	Section 23
The well noted above requires the following corrective action(s) to bring it into compliance:							

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator Price Well Service, Vaughn Price

Permit	13748	1 JESSE BARRETT	1	S	9	W	Section 23
The well noted above requires the following corrective action(s) to bring it into compliance:							

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator Bouchie Oil Co.

Permit	13788	1 IRA COPELAND	2 S	8 W	Section 27
The well noted above requires the following corrective action(s) to bring it into compliance:					

Remove all vegetation and inflammable materials from all well operations and facilities as per 312 IAC 16-5-11.

Construct a firewall that Forms a continuous barrier around the tank battery capable of holding one and one-half (1 1/2) times the battery capacity in accordance with 312 IAC 16-5-11.

Properly fill and level the pit per 312 IAC 16-5-13. NOTE: Evaporation pits are prohibited.

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator

Permit	13875	6 ALICE STEWART	1 N	9 W	Survey 16
The well noted above requires the following corrective action(s) to bring it into compliance:					

Last Operator Pennsand Oil Corp.

Permit	14042	E-3 ALICE STEWART	1 N	9 W	Survey 16
The well noted above requires the following corrective action(s) to bring it into compliance:					

Cease injection, perform and pass a mechanical integrity test as prescribed by 312 IAC 16-5-15.

Last Operator Pennsand Oil Corp.

Permit	14043	E-4 ALICE STEWART	1 N	9 W	Section 22
The well noted above requires the following corrective action(s) to bring it into compliance:					

Cease injection, perform and pass a mechanical integrity test as prescribed by 312 IAC 16-5-15.

Last Operator Pennsand Oil Corp.

Permit	14044	F-4 ALICE STEWART	1 N	9 W	Section 22
The well noted above requires the following corrective action(s) to bring it into compliance:					

Cease injection, perform and pass a mechanical integrity test as prescribed by 312 IAC 16-5-15.

Last Operator

Permit	14168	3A ESSIE STEWART	1 N	9 W	Survey 15
The well noted above requires the following corrective action(s) to bring it into compliance:					

Last Operator

Permit	14300	7 ALICE STEWART	1 N	9 W	Survey 16
The well noted above requires the following corrective action(s) to bring it into compliance:					

Last Operator

Permit	14301	8 ALICE STEWART	1 N	9 W	Survey 16
The well noted above requires the following corrective action(s) to bring it into compliance:					

Last Operator Pennsand Oil Corp.

Permit	14302	G-4 ALICE STEWART	1 N	9 W	Survey 16
The well noted above requires the following corrective action(s) to bring it into compliance:					

Last Operator

Permit	15087	4 CLARENCE & ESSIE STEWART	1	N	9	W	Survey 16
The well noted above requires the following corrective action(s) to bring it into compliance:							

Last Operator

Permit	15088	3 CLARENCE & ESSIE STEWART	1	N	9	W	Survey 16
The well noted above requires the following corrective action(s) to bring it into compliance:							

Last Operator

Permit	15146	G-3 ALICE STEWART	1	N	9	W	Survey 16
The well noted above requires the following corrective action(s) to bring it into compliance:							

Last Operator

Permit	15211	8 ESSIE STEWART	1	N	9	W	Survey 15
The well noted above requires the following corrective action(s) to bring it into compliance:							

Last Operator

Permit	15220	H-3 ESSIE STEWART	1	N	9	W	Location 25
The well noted above requires the following corrective action(s) to bring it into compliance:							

Last Operator

Permit	15221	E-2 ESSIE STEWART	1	N	9	W	Survey 15
The well noted above requires the following corrective action(s) to bring it into compliance:							

Last Operator

Permit	15222	F-2 ESSIE STEWART	1	N	9	W	Survey 15
The well noted above requires the following corrective action(s) to bring it into compliance:							

Last Operator

Permit	15260	D-2 ESSIE STEWART	1	N	9	W	Survey 15
The well noted above requires the following corrective action(s) to bring it into compliance:							

Last Operator

Permit	15442	9 ESSIE STEWART	1	N	9	W	Survey 15
The well noted above requires the following corrective action(s) to bring it into compliance:							

Last Operator

Permit	16336	W-1 WM. H. COFFMAN	1	N	9	W	Section 22
The well noted above requires the following corrective action(s) to bring it into compliance:							

Last Operator

Permit	16337	W-2 WM. H. COFFMAN	1	N	9	W	Section 22
The well noted above requires the following corrective action(s) to bring it into compliance:							

Last Operator

Permit	16338	W-2 ESSIE STEWART	1	N	9	W	Section 22
The well noted above requires the following corrective action(s) to bring it into compliance:							

Last Operator

Permit	17182	1 WM. COFFMAN	1	N	9	W	Section 22
The well noted above requires the following corrective action(s) to bring it into compliance:							

Last Operator Integrity Energy Systems Inc

Permit	17943	3 DENVER MCROBERTS	1	S	9	W	Section 10
The well noted above requires the following corrective action(s) to bring it into compliance:							

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator

Permit	18958	1 SIMON KENDALL	1	N	9	W	Section 15
The well noted above requires the following corrective action(s) to bring it into compliance:							

Last Operator Integrity Energy Systems Inc

Permit	19033	4B GERALD WIREY	1	S	9	W	Section 4
The well noted above requires the following corrective action(s) to bring it into compliance:							

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator

Permit	19260	IR-1 SAMUEL E. NEWELL	1	N	9	W	Section 36
The well noted above requires the following corrective action(s) to bring it into compliance:							

Last Operator

Permit	19261	IR-1 SAMUEL E. NEWELL	1	N	9	W	Section 36
The well noted above requires the following corrective action(s) to bring it into compliance:							

Last Operator Price Well Service, Vaughn Price

Permit	19644	1 M. HUBBARD UNIT	1	S	9	W	Section 14
The well noted above requires the following corrective action(s) to bring it into compliance:							

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.
NOTE: This identification must be readable from 20 feet.

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator

Permit	19667	2 ALICE STEWART	1	N	9	W	Survey 17
The well noted above requires the following corrective action(s) to bring it into compliance:							

Last Operator Price Well Service, Vaughn Price

Permit	19755	1C E. MILLER HRS ETAL	1	S	9	W	Section 14
The well noted above requires the following corrective action(s) to bring it into compliance:							

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator Integrity Energy Systems Inc

Permit	19807	2B GERALD WIREY	1	S	9	W	Section 4
The well noted above requires the following corrective action(s) to bring it into compliance:							

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator Pennsand Oil Corp.

Permit	19817	5 ALICE STEWART	1	N	9	W	Section 22
The well noted above requires the following corrective action(s) to bring it into compliance:							

Cease injection, perform and pass a mechanical integrity test as prescribed by 312 IAC 16-5-15.

Last Operator

Permit	19937	1 NEWELL-GLADISH	1	N	9	W	Section 36
The well noted above requires the following corrective action(s) to bring it into compliance:							

Last Operator

Permit	19965	1A NEWELL-GLADISH	1	N	9	W	Section 36
The well noted above requires the following corrective action(s) to bring it into compliance:							

Last Operator Price Well Service, Vaughn Price

Permit	19972	1 GLADISH-WILLIS	1	S	9	W	Section 14
The well noted above requires the following corrective action(s) to bring it into compliance:							

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator Price Well Service, Vaughn Price

Permit	20290	2 MILBURN HUBBARD	1	S	9	W	Section 14
The well noted above requires the following corrective action(s) to bring it into compliance:							

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator Price Well Service, Vaughn Price

Permit	20336	2 GLADISH-WILLIS UNIT	1	S	9	W	Section 14
The well noted above requires the following corrective action(s) to bring it into compliance:							

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator

Permit	20386	1A W.V.MCCULLOUGH	1	N	9	W	Section 36
The well noted above requires the following corrective action(s) to bring it into compliance:							

Last Operator

Permit	20480	1 W.V. MCCULLOUGH	1	N	9	W	Section 36
The well noted above requires the following corrective action(s) to bring it into compliance:							

Last Operator Price Well Service, Vaughn Price

Permit	20793	2 WILLIS COMM	1	S	9	W	Section 14
The well noted above requires the following corrective action(s) to bring it into compliance:							

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator

Permit	21416	1A ESTER HUNTER	1	N	9	W	Section 15
The well noted above requires the following corrective action(s) to bring it into compliance:							

Last Operator Cherokee Drilling Corp.

Permit	21723	1 W. WERNER ETAL	2	S	8	W	Section 35
The well noted above requires the following corrective action(s) to bring it into compliance:							

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator

Permit	22616	1A W.COFFMAN	1	N	9	W	Section 15
The well noted above requires the following corrective action(s) to bring it into compliance:							

Last Operator Bouchie Oil Co.

Permit	23628	3 IRA COPELAND	2	S	8	W	Section 27
The well noted above requires the following corrective action(s) to bring it into compliance:							

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Bouchie Oil Co.

Permit	24772	1 WM CORN	2	S	8	W	Section 27
The well noted above requires the following corrective action(s) to bring it into compliance:							

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Integrity Energy Systems Inc

Permit	26203	1 WYATT-RAUCH FARMS	1	S	8	W	Section 16
The well noted above requires the following corrective action(s) to bring it into compliance:							

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10. NOTE: This identification must be readable from 20 feet.

Operate , formally T / A, plug and abandon, or re-permit for production in accordance with IC 14-37-8. NOTE: Operation and T / A require a pressure test.

Last Operator Price Well Service, Vaughn Price

Permit	26786	1 M. MILLER	1	S	9	W	Section 22
The well noted above requires the following corrective action(s) to bring it into compliance:							

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator Price Well Service, Vaughn Price

Permit	26829	2 M. MILLER	1	S	9	W	Section 22
The well noted above requires the following corrective action(s) to bring it into compliance:							

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.
NOTE: This identification must be readable from 20 feet.

Last Operator Price Well Service, Vaughn Price

Permit	26838	3 M. MILLER	1	S	9	W	Section 22
The well noted above requires the following corrective action(s) to bring it into compliance:							

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator Price Well Service, Vaughn Price

Permit	26870	3A M. MILLER	1	S	9	W	Section 22
The well noted above requires the following corrective action(s) to bring it into compliance:							

Last Operator Price Well Service, Vaughn Price

Permit	27022	6-W MASTERS-COATES ETAL	1	S	9	W	Section 14
The well noted above requires the following corrective action(s) to bring it into compliance:							

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.
NOTE: This identification must be readable from 20 feet.

Remove all vegetation and inflammable materials from all well operations and facilities as per 312 IAC 16-5-11.

Operate , formally T / A, plug and abandon, or re-permit for production in accordance with IC 14-37-8. NOTE: Operation and T / A require a pressure test.

Last Operator

Permit	27474	2A WM.COFFMAN	1	N	9	W	Section 15
The well noted above requires the following corrective action(s) to bring it into compliance:							

Last Operator Price Well Service, Vaughn Price

Permit	27516	8-W LOVELESS,MASTER,BARRETT	1	S	9	W	Section 14
The well noted above requires the following corrective action(s) to bring it into compliance:							

Cease injection, perform and pass a mechanical integrity test as prescribed by 312 IAC 16-5-15.

Last Operator Price Well Service, Vaughn Price

Permit	27819	1 MILLER ETAL	1	S	9	W	Section 22
The well noted above requires the following corrective action(s) to bring it into compliance:							

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator Price Well Service, Vaughn Price

Permit	28045	1 ELLA MILLER HRS	1	S	9	W	Section 14
The well noted above requires the following corrective action(s) to bring it into compliance:							

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator Jerry L. Gitre

Permit	28890	CU 1 HERMAN ATKINSON	1	S	9	W	Section 23
The well noted above requires the following corrective action(s) to bring it into compliance:							

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.
NOTE: This identification must be readable from 20 feet.

Last Operator Oil Opportunities of Indiana, Inc.

Permit	29235	1 CECIL HAMM ETAL	1 S	7 W	Section 30
The well noted above requires the following corrective action(s) to bring it into compliance:					

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.
NOTE: This identification must be readable from 20 feet.

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Integrity Energy Systems Inc

Permit	29777	3 WYATT-RAUCH FARMS, INC.	1 S	8 W	Section 16
The well noted above requires the following corrective action(s) to bring it into compliance:					

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator Oil Opportunities of Indiana, Inc.

Permit	30251	3 C & M HAMM	1 S	7 W	Section 30
The well noted above requires the following corrective action(s) to bring it into compliance:					

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.
NOTE: This identification must be readable from 20 feet.

Last Operator Jerry L. Gitre

Permit	31179	1 CARLOS & POLLY CRECELUIS	1 S	9 W	Section 12
The well noted above requires the following corrective action(s) to bring it into compliance:					

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.
NOTE: This identification must be readable from 20 feet.

Operate, or plug and abandon the well or obtain a temporary abandonment permit for the well per IC 14-37-8.

Last Operator Jerry L. Gitre

Permit	31238	1 AETNA LIFE INS-CRECELIUS	1 S	9 W	Section 12
The well noted above requires the following corrective action(s) to bring it into compliance:					

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Jerry L. Gitre

Permit	32811	W-2 ERNEST WILSON	1 S	9 W	Section 13
The well noted above requires the following corrective action(s) to bring it into compliance:					

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Install connections as required to allow field inspector to monitor tubing and annulus pressures at the wellhead per 312 IAC 16-5-14.

Last Operator Price Well Service, Vaughn Price

Permit	33005	1 BOBBY WILLIS	1 S	9 W	Section 14
The well noted above requires the following corrective action(s) to bring it into compliance:					

Last Operator Bouchie Oil Co.

Permit	33578	3 W. & L. BURNETT	2 S	8 W	Section 27
The well noted above requires the following corrective action(s) to bring it into compliance:					

Construct a firewall that Forms a continuous barrier around the tank battery capable of holding one and one-half (1 1/2) times the battery capacity in accordance with 312 IAC 16-5-11.

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Remove all vegetation and inflammable materials from all well operations and facilities as per 312 IAC 16-5-11.

Last Operator Malcolm Nixon

Permit	34317	1 MALCOLM & BERTHA NIXON	2 S	8 W	Section 13
The well noted above requires the following corrective action(s) to bring it into compliance:					

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Price Energy Producing, Ltd.

Permit	39208	2 HELEN & WILLIAM CALLAWAY	2 S	7 W	Section 29
The well noted above requires the following corrective action(s) to bring it into compliance:					

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Seminole Energy of Indiana, Inc.

Permit	39567	1 INSTATE COMM. & V. WOOLSE	2 S	7 W	Section 29
The well noted above requires the following corrective action(s) to bring it into compliance:					

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Integrity Energy Systems Inc

Permit	40467	11 HOWARD CLEFF	1 S	9 W	Section 9
The well noted above requires the following corrective action(s) to bring it into compliance:					

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator Integrity Energy Systems Inc

Permit	41202	1 F.W. WESTERN	1 S	9 W	Section 4
The well noted above requires the following corrective action(s) to bring it into compliance:					

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator Integrity Energy Systems Inc

Permit	41282	3 FORREST WESTERN	1 S	9 W	Section 4
The well noted above requires the following corrective action(s) to bring it into compliance:					

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator Bouchie Oil Co.

Permit	41873	5 R & M STRICKLAND	2 S	8 W	Section 27
The well noted above requires the following corrective action(s) to bring it into compliance:					

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Bouchie Oil Co.

Permit	41874	6 R & M STRICKLAND	2 S	8 W	Section 27
The well noted above requires the following corrective action(s) to bring it into compliance:					

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Price Well Service, Vaughn Price

Permit	42314	#1 WARNER LOVELESS	1 S	8 W	Section 31
The well noted above requires the following corrective action(s) to bring it into compliance:					

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator Price Well Service, Vaughn Price

Permit	42401	1 WILDER-PHILLIPS-BROSHEARS	1 S	7 W	Section 35
The well noted above requires the following corrective action(s) to bring it into compliance:					

Last Operator Bouchie Oil Co.

Permit	42683	1A R & M STRICKLAND	2 S	8 W	Section 27
The well noted above requires the following corrective action(s) to bring it into compliance:					

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Integrity Energy Systems Inc

Permit	43126	14 HOWARD CLEFF	1 S	9 W	Section 4
The well noted above requires the following corrective action(s) to bring it into compliance:					

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator Integrity Energy Systems Inc

Permit	43141	15 HOWARD CLEFF	1 S	9 W	Section 4
The well noted above requires the following corrective action(s) to bring it into compliance:					

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator Integrity Energy Systems Inc

Permit	43170	15 HOWARD CLEFF	1 S	9 W	Section 4
The well noted above requires the following corrective action(s) to bring it into compliance:					

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator Integrity Energy Systems Inc

Permit	43388	2 F.E. WESTERN	1 N	9 W	Section 32
The well noted above requires the following corrective action(s) to bring it into compliance:					

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.

NOTE: This identification must be readable from 20 feet.

Cease all operations at this well, obtain and post the required permit, or plug and abandon the well in accordance with 312 IAC 16-5-19. (NOTE: The penalty must be paid before a permit can be issued.)

Last Operator Integrity Energy Systems Inc

Permit	45489	4 LOBREE & WYASTT-RAUSCH	1 S	8 W	Section 16
The well noted above requires the following corrective action(s) to bring it into compliance:					

Submit Quarterly Monitoring Report in accordance with 312 IAC 16-5-18.

Cease injection, perform and pass a mechanical integrity test as prescribed by 312 IAC 16-5-15.

Last Operator Price Well Service, Vaughn Price

Permit	45981	1 HOWARD WYLIE COMM.	1 S	7 W	Section 35
The well noted above requires the following corrective action(s) to bring it into compliance:					

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.

NOTE: This identification must be readable from 20 feet.

Operate , formally T / A, plug and abandon, or re-permit for production in accordance with IC 14-37-8. NOTE: Operation and T / A require a pressure test.

Last Operator Malcolm Nixon

Permit	46772	2 MALCOLM & BERTHA NIXON	2 S	8 W	Section 14
The well noted above requires the following corrective action(s) to bring it into compliance:					

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Integrity Energy Systems Inc

Permit	47490	1 HOUCHINS COMM.	1 S	8 W	Section 16
The well noted above requires the following corrective action(s) to bring it into compliance:					

Last Operator Integrity Energy Systems Inc

Permit	47492	4 E WELTON	1	S	8	W	Section 21
The well noted above requires the following corrective action(s) to bring it into compliance:							

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator Integrity Energy Systems Inc

Permit	47497	2 HOUCHINS COMM.	1	S	8	W	Section 16
The well noted above requires the following corrective action(s) to bring it into compliance:							

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Linda S. Holmes

Permit	47869	1 CLARENCE C. COOK	2	S	7	W	Section 24
The well noted above requires the following corrective action(s) to bring it into compliance:							

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10. NOTE: This identification must be readable from 20 feet.

Last Operator Integrity Energy Systems Inc

Permit	48039	1 ZACK WELTON HEIRS	1	S	8	W	Section 20
The well noted above requires the following corrective action(s) to bring it into compliance:							

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Integrity Energy Systems Inc

Permit	48042	5 IDA DORSAM	1	S	8	W	Section 21
The well noted above requires the following corrective action(s) to bring it into compliance:							

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator Integrity Energy Systems Inc

Permit	48043	3 EMMA WELTON	1	S	8	W	Section 21
The well noted above requires the following corrective action(s) to bring it into compliance:							

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator Integrity Energy Systems Inc

Permit	48066	1 EMA WELTON	1	S	8	W	Section 21
The well noted above requires the following corrective action(s) to bring it into compliance:							

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator Linda S. Holmes

Permit	48280	1 RANDALL SMITH	2	S	7	W	Section 24
The well noted above requires the following corrective action(s) to bring it into compliance:							

Construct a firewall that Forms a continuous barrier around the tank battery capable of holding one and one-half (1 1/2) times the battery capacity in accordance with 312 IAC 16-5-11.

Properly remove and dispose of oil and waste fluids from the inside of the firewall per 312 IAC 16-5-11.

Last Operator Southern United Oil & Gas Co., Inc.

Permit	49378	A-1 SKINNER HEIRS	2	S	8	W	Section 14
The well noted above requires the following corrective action(s) to bring it into compliance:							

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator

Permit	50843	#1 SAM RUMBLE	1	S	9	W	Section 2
The well noted above requires the following corrective action(s) to bring it into compliance:							

Last Operator Energy Producers

Permit	50854	1 Ernest Wilson	1	S	9	W	Section 13
The well noted above requires the following corrective action(s) to bring it into compliance:							

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Price Well Service, Vaughn Price

Permit	50874	3 M. INGLER	1	S	9	W	Section 22
The well noted above requires the following corrective action(s) to bring it into compliance:							

Last Operator American Diversified Energy Co.

Permit	51433	4 JAMES RUMBLE	1	N	9	W	Section 36
The well noted above requires the following corrective action(s) to bring it into compliance:							

County **Posey**

Last Operator Anderson Griffin Properties

Permit	1167	1 F.O. FAUL HEIRS	4 S	14 W	Section 11
--------	-------------	-------------------	-----	------	------------

The well noted above requires the following corrective action(s) to bring it into compliance:

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.
NOTE: This identification must be readable from 20 feet.

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator John Dewar

Permit	1414	1 HENRY A & IDA WEDEKING	6 S	13 W	Section 23
--------	-------------	--------------------------	-----	------	------------

The well noted above requires the following corrective action(s) to bring it into compliance:

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.
NOTE: This identification must be readable from 20 feet.

Last Operator Charles M. Brandenburg, Trustee

Permit	3416	9 ELMER ELLIOTT	5 S	14 W	Section 14
--------	-------------	-----------------	-----	------	------------

The well noted above requires the following corrective action(s) to bring it into compliance:

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator Charles M. Brandenburg, Trustee

Permit	3480	2 ELMER E. ELLIOTT	5 S	14 W	Section 23
--------	-------------	--------------------	-----	------	------------

The well noted above requires the following corrective action(s) to bring it into compliance:

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator Charles M. Brandenburg, Trustee

Permit	3580	1A E.E. ELLIOTT	5 S	14 W	Section 23
--------	-------------	-----------------	-----	------	------------

The well noted above requires the following corrective action(s) to bring it into compliance:

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator Charles M. Brandenburg, Trustee

Permit	3607	12 ELMER ELLIOTT	5 S	14 W	Section 14
--------	-------------	------------------	-----	------	------------

The well noted above requires the following corrective action(s) to bring it into compliance:

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator Charles M. Brandenburg, Trustee

Permit	3649	5 ELMER E. ELLIOT	5 S	14 W	Section 23
--------	-------------	-------------------	-----	------	------------

The well noted above requires the following corrective action(s) to bring it into compliance:

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator Charles M. Brandenburg, Trustee

Permit	3826	4A ELMER E. ELLIOTT	5 S	14 W	Section 23
--------	-------------	---------------------	-----	------	------------

The well noted above requires the following corrective action(s) to bring it into compliance:

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator Charles M. Brandenburg, Trustee

Permit	3827	5-A ELMER E. ELLIOT	5 S	14 W	Section 23
--------	-------------	---------------------	-----	------	------------

The well noted above requires the following corrective action(s) to bring it into compliance:

Perform cleanup operations to properly remove and dispose of oil which was spilled at your facility as per 312 IAC 16-5-11.

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.
NOTE: This identification must be readable from 20 feet.

Last Operator Charles M. Brandenburg, Trustee

Permit	3837	5-A ELMER E. ELLIOT	5 S 14 W	Section 23
The well noted above requires the following corrective action(s) to bring it into compliance:				

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator Charles M. Brandenburg, Trustee

Permit	4003	11 E E ELLIOTT	5 S 14 W	Section 23
The well noted above requires the following corrective action(s) to bring it into compliance:				

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator Charles M. Brandenburg, Trustee

Permit	5029	8A WLMER E. ELLIOTT	5 S 14 W	Section 22
The well noted above requires the following corrective action(s) to bring it into compliance:				

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator Charles M. Brandenburg, Trustee

Permit	5061	9A ELMER E. ELLIOTT	5 S 14 W	Section 23
The well noted above requires the following corrective action(s) to bring it into compliance:				

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator Oeth Drilling Company

Permit	5165	1 COMM. WILLIAM OETH	7 S 12 W	Section 5
The well noted above requires the following corrective action(s) to bring it into compliance:				

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.
NOTE: This identification must be readable from 20 feet.

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Charles M. Brandenburg, Trustee

Permit	5500	19 ELMER ELLIOTT	5 S 14 W	Section 14
The well noted above requires the following corrective action(s) to bring it into compliance:				

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator John Dewar

Permit	11408	2 C.P SLYGH	6 S 13 W	Section 23
The well noted above requires the following corrective action(s) to bring it into compliance:				

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.
NOTE: This identification must be readable from 20 feet.

Last Operator John Dewar

Permit	12942	1 A. ALLYN	7 S 12 W	Section 6
The well noted above requires the following corrective action(s) to bring it into compliance:				

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.
NOTE: This identification must be readable from 20 feet.

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Norman P. Conrey dba Conrey Oil Co.

Permit	13825	1 A.L. JOHNSON	4 S 13 W	Section 33
The well noted above requires the following corrective action(s) to bring it into compliance:				

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.
NOTE: This identification must be readable from 20 feet.

Last Operator John Dewar

Permit	15180	2 FRED ROEHR	6 S 12 W	Section 18
The well noted above requires the following corrective action(s) to bring it into compliance:				

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.
NOTE: This identification must be readable from 20 feet.

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator John Dewar

Permit	15538	1 IRA ROTHROCK	6 S 12 W	Section 32
The well noted above requires the following corrective action(s) to bring it into compliance:				

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.
NOTE: This identification must be readable from 20 feet.

Last Operator John Dewar

Permit	16201	2 IRA ROTHROCK	6 S 12 W	Section 32
The well noted above requires the following corrective action(s) to bring it into compliance:				

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.
NOTE: This identification must be readable from 20 feet.

Last Operator Charles M. Brandenburg, Trustee

Permit	17757	9 JOEL VAIL	5 S 14 W	Section 22
The well noted above requires the following corrective action(s) to bring it into compliance:				

Submit Quarterly Monitoring Report in accordance with 312 IAC 16-5-18.

Operate , formally T / A, plug and abandon, or re-permit for production in accordance with IC 14-37-8. NOTE: Operation and T / A require a pressure test.

Last Operator John Dewar

Permit	19380	1 MARY OETH	6 S 12 W	Section 32
The well noted above requires the following corrective action(s) to bring it into compliance:				

Cease injection, perform and pass a mechanical integrity test as prescribed by 312 IAC 16-5-15.

Last Operator John Dewar

Permit	23018	1 M. OETH	7 S 12 W	Section 7
The well noted above requires the following corrective action(s) to bring it into compliance:				

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.
NOTE: This identification must be readable from 20 feet.

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Charles M. Brandenburg, Trustee

Permit	25128	6 E.E. ELLIOTT	5 S 14 W	Section 23
The well noted above requires the following corrective action(s) to bring it into compliance:				

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator John Dewar

Permit	25911	1 CLARA NASH	7 S 14 W	Section 32
The well noted above requires the following corrective action(s) to bring it into compliance:				

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.
NOTE: This identification must be readable from 20 feet.

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Charles M. Brandenburg, Trustee

Permit	26001	3 Elmer E. ELLIOTT	5 S 14 W	Section 23
The well noted above requires the following corrective action(s) to bring it into compliance:				

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator Charles M. Brandenburg, Trustee

Permit	26014	3-W BREHM-ELLIOTT	5 S 14 W	Section 23
The well noted above requires the following corrective action(s) to bring it into compliance:				

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator Zink Oil Co.

Permit	28760	1 C. A. Walters	7 S 14 W	Section 12
The well noted above requires the following corrective action(s) to bring it into compliance:				

Cease injection, perform and pass a mechanical integrity test as prescribed by 312 IAC 16-5-15.

Last Operator John Dewar

Permit	31059	1 CHARLES. P. SLYGH	6 S 13 W	Section 23
The well noted above requires the following corrective action(s) to bring it into compliance:				

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.
NOTE: This identification must be readable from 20 feet.

Operate , formally T / A, plug and abandon, or re-permit for production in accordance with IC 14-37-8. NOTE: Operation and T / A require a pressure test.

Last Operator John Dewar

Permit	31060	2 W.F. SCHREIBER	6 S 13 W	Section 23
The well noted above requires the following corrective action(s) to bring it into compliance:				

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.
NOTE: This identification must be readable from 20 feet.

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator John Dewar

Permit	31061	1 W.F. SCHREIBER	6 S 13 W	Section 23
The well noted above requires the following corrective action(s) to bring it into compliance:				

Operate , formally T / A, plug and abandon, or re-permit for production in accordance with IC 14-37-8. NOTE: Operation and T / A require a pressure test.

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.
NOTE: This identification must be readable from 20 feet.

Last Operator R. E. Anderson Oil Company

Permit	31839	2 Harmon	4 S 13 W	Section 6
The well noted above requires the following corrective action(s) to bring it into compliance:				

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.
NOTE: This identification must be readable from 20 feet.

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Remove all vegetation and inflammable materials from all well operations and facilities as per 312 IAC 16-5-11.

Last Operator John Dewar

Permit	32087	1 RALPH NOTTER	6 S 13 W	Section 10
The well noted above requires the following corrective action(s) to bring it into compliance:				

Per IC 14-37, pay the annual fee of \$50.00 and a penalty of \$500.00.

Last Operator Scope Operating Co.

Permit	32215	24 L.P. Kleiderer A Unit	3 S	14 W	Section 33
The well noted above requires the following corrective action(s) to bring it into compliance:					

Cease injection, case, cement casing or otherwise reconstruct the well to conform to the provisions of 312 IAC 16-5-9.

Last Operator John Dewar

Permit	32220	1-W T.H. KAFFENBERGER	6 S	13 W	Section 10
The well noted above requires the following corrective action(s) to bring it into compliance:					

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.
NOTE: This identification must be readable from 20 feet.

Last Operator John Dewar

Permit	32744	1 MARC STEVENS	6 S	13 W	Section 10
The well noted above requires the following corrective action(s) to bring it into compliance:					

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Charles M. Brandenburg, Trustee

Permit	32965	1-W MORTON ELLIOTT	5 S	14 W	Section 23
The well noted above requires the following corrective action(s) to bring it into compliance:					

Cease injection, perform and pass a mechanical integrity test as prescribed by 312 IAC 16-5-15.

Install connections as required to allow field inspector to monitor tubing and annulus pressures at the wellhead per 312 IAC 16-5-14.

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.
NOTE: This identification must be readable from 20 feet.

Last Operator Charles M. Brandenburg, Trustee

Permit	33663	4-W ASHLAND VAIL	5 S	14 W	Section 23
The well noted above requires the following corrective action(s) to bring it into compliance:					

Operate , formally T / A, plug and abandon, or re-permit for production in accordance with IC 14-37-8. NOTE: Operation and T / A require a pressure test.

Submit Quarterly Monitoring Report in accordance with 312 IAC 16-5-18.

Last Operator John Dewar

Permit	34968	1 JACKSON-ESCHE-BREEZE	6 S	13 W	Section 11
The well noted above requires the following corrective action(s) to bring it into compliance:					

Per IC 14-37, pay the annual fee of \$50.00 and a penalty of \$500.00.

Last Operator John Dewar

Permit	40291	6 CLARA NASH	7 S	14 W	Section 32
The well noted above requires the following corrective action(s) to bring it into compliance:					

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.
NOTE: This identification must be readable from 20 feet.

Last Operator John Dewar

Permit	40292	7 CLARA NASH	7 S	14 W	Section 32
The well noted above requires the following corrective action(s) to bring it into compliance:					

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.
NOTE: This identification must be readable from 20 feet.

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Charles M. Brandenburg, Trustee

Permit	40983	13 E.E. ELLIOTT	5 S	14 W	Section 14
The well noted above requires the following corrective action(s) to bring it into compliance:					

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator John Dewar

Permit	41559	1 DORA NASH	7 S	14 W	Section 32
The well noted above requires the following corrective action(s) to bring it into compliance:					

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.
NOTE: This identification must be readable from 20 feet.

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator William Beaven

Permit	42391	1 WALTER WASSON	5 S	13 W	Section 34
The well noted above requires the following corrective action(s) to bring it into compliance:					

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.
NOTE: This identification must be readable from 20 feet.

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Takeje Production Co., Inc.

Permit	42572	2 WI Ralph Thornburg	5 S	13 W	Section 12
The well noted above requires the following corrective action(s) to bring it into compliance:					

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.
NOTE: This identification must be readable from 20 feet.

Operate , formally T / A, plug and abandon, or re-permit for production in accordance with IC 14-37-8. NOTE: Operation and T / A require a pressure test.

Last Operator The Omega Trust

Permit	47626	1 New Harmony Realty	5 S	14 W	Section 8
The well noted above requires the following corrective action(s) to bring it into compliance:					

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.
NOTE: This identification must be readable from 20 feet.

Remove all vegetation and inflammable materials from all well operations and facilities as per 312 IAC 16-5-11.

Perform cleanup operations to properly remove and dispose of oil which was spilled at your facility as per 312 IAC 16-5-11.

Last Operator Terra Firma Corp.

Permit	48773	7 M. Dixon	8 S	13 W	Section 6
The well noted above requires the following corrective action(s) to bring it into compliance:					

Operate , formally T / A, plug and abandon, or re-permit for production in accordance with IC 14-37-8. NOTE: Operation and T / A require a pressure test.

Last Operator Terra Firma Corp.

Permit	48775	#3 Mary Dixon	8 S	13 W	Section 7
The well noted above requires the following corrective action(s) to bring it into compliance:					

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Terra Firma Corp.

Permit	48783	#1-A Dixon Heirs	8 S	13 W	Section 7
The well noted above requires the following corrective action(s) to bring it into compliance:					

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Terra Firma Corp.

Permit	48784	#2A Mary Dixon	8	S	13	W	Section 7
The well noted above requires the following corrective action(s) to bring it into compliance:							

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Terra Firma Corp.

Permit	48786	10 M. Dixon	8	S	13	W	Section 7
The well noted above requires the following corrective action(s) to bring it into compliance:							

Operate , formally T / A, plug and abandon, or re-permit for production in accordance with IC 14-37-8. NOTE: Operation and T / A require a pressure test.

Last Operator Terra Firma Corp.

Permit	48788	3 W.O. Klotz	8	S	13	W	Section 7
The well noted above requires the following corrective action(s) to bring it into compliance:							

Operate , formally T / A, plug and abandon, or re-permit for production in accordance with IC 14-37-8. NOTE: Operation and T / A require a pressure test.

Last Operator Terra Firma Corp.

Permit	48792	6 Mary Dixon	8	S	13	W	Section 6
The well noted above requires the following corrective action(s) to bring it into compliance:							

Operate , formally T / A, plug and abandon, or re-permit for production in accordance with IC 14-37-8. NOTE: Operation and T / A require a pressure test.

Last Operator Terra Firma Corp.

Permit	48794	#11 M. Dixon	8	S	13	W	Section 7
The well noted above requires the following corrective action(s) to bring it into compliance:							

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Terra Firma Corp.

Permit	48795	#1 Mary Dixon	8	S	13	W	Section 7
The well noted above requires the following corrective action(s) to bring it into compliance:							

Cease drainage of fluids into or from unauthorized pits or firewall, remove drainage pipes and repair all damage caused by the escape of fluids per 312 IAC 16-5-13.

Last Operator Terra Firma Corp.

Permit	48796	5 Mary Dixon	8	S	13	W	Section 7
The well noted above requires the following corrective action(s) to bring it into compliance:							

Operate , formally T / A, plug and abandon, or re-permit for production in accordance with IC 14-37-8. NOTE: Operation and T / A require a pressure test.

Last Operator Terra Firma Corp.

Permit	48797	9 M. Dixon	8	S	13	W	Section 7
The well noted above requires the following corrective action(s) to bring it into compliance:							

Operate , formally T / A, plug and abandon, or re-permit for production in accordance with IC 14-37-8. NOTE: Operation and T / A require a pressure test.

Last Operator Terra Firma Corp.

Permit	48799	#8 M. Dixon	8	S	13	W	Section 7
The well noted above requires the following corrective action(s) to bring it into compliance:							

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Terra Firma Corp.

Permit	48800	2 M. Dixon	8	S	13	W	Section 7
The well noted above requires the following corrective action(s) to bring it into compliance:							

Operate , formally T / A, plug and abandon, or re-permit for production in accordance with IC 14-37-8. NOTE: Operation and T / A require a pressure test.

Last Operator Terra Firma Corp.

Permit	48802	13 Mary Dixon	8 S	13 W	Section 7
The well noted above requires the following corrective action(s) to bring it into compliance:					

Operate , formally T / A, plug and abandon, or re-permit for production in accordance with IC 14-37-8. NOTE: Operation and T / A require a pressure test.

Last Operator Charles M. Brandenburg, Trustee

Permit	48816	1-B STATE OF IND-HARMONY PARK	5 S	14 W	Section 23
The well noted above requires the following corrective action(s) to bring it into compliance:					

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10. NOTE: This identification must be readable from 20 feet.

Perform cleanup operations to properly remove and dispose of oil which was spilled at your facility as per 312 IAC 16-5-11.

Last Operator Hercules Petroleum Co., Inc.

Permit	51755	1 LUIGS BROTHERS	5 S	12 W	Section 24
The well noted above requires the following corrective action(s) to bring it into compliance:					

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Remove all vegetation and inflammable materials from all well operations and facilities as per 312 IAC 16-5-11.

Properly fill and level the pit per 312 IAC 16-5-13. NOTE: Evaporation pits are prohibited.

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10. NOTE: This identification must be readable from 20 feet.

County **Pulaski**

Last Operator J.M. Hall

Permit	44110	1 COMM. R.&R. SINGLETON & GOOD	29	N	3	W	Section 35
--------	--------------	--------------------------------	----	---	---	---	------------

The well noted above requires the following corrective action(s) to bring it into compliance:

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.
NOTE: This identification must be readable from 20 feet.

Remove all vegetation and inflammable materials from all well operations and facilities as per 312 IAC 16-5-11.

County **Randolph**

Last Operator Mayan Energy U. S., Inc.

Permit	30922	1 FRED TIBBETTS	20 N 15 E	Section 19
--------	--------------	-----------------	-----------	------------

The well noted above requires the following corrective action(s) to bring it into compliance:

Repair all well equipment and facilities to prevent the escape of oil or gas as per 312 IAC 16-5-13.

Last Operator Mayan Energy U. S., Inc.

Permit	31758	1 JAMES A. FRAZIER	20 N 15 E	Section 32
--------	--------------	--------------------	-----------	------------

The well noted above requires the following corrective action(s) to bring it into compliance:

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

County **Shelby**

Last Operator Eagle Gas & Oil, Inc.

Permit	35789	1 HAROLD EVERHART	13	N	7	E	Section 4
The well noted above requires the following corrective action(s) to bring it into compliance:							

Re-case the well and obtain a temporary abandonment permit, or plug and abandon the well as per IC 14-37-8. NOTE: This well does not qualify for a temporary abandonment permit in its present condition.

Last Operator G More Jr & L More & J & P Pfister

Permit	1120	1 BEN H. SHROUDS	8 S	6 W	Section 5
--------	-------------	------------------	-----	-----	-----------

The well noted above requires the following corrective action(s) to bring it into compliance:

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Remove all vegetation and inflammable materials from all well operations and facilities as per 312 IAC 16-5-11.

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.

NOTE: This identification must be readable from 20 feet.

Last Operator Empire Oil and Gas Co.

Permit	3279	1 MONTGOMERY-EBLEY	7 S	7 W	Section 30
--------	-------------	--------------------	-----	-----	------------

The well noted above requires the following corrective action(s) to bring it into compliance:

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.

NOTE: This identification must be readable from 20 feet.

Remove all vegetation and inflammable materials from all well operations and facilities as per 312 IAC 16-5-11.

Last Operator Matthew G. Dillon dba Dillon Oil Co

Permit	3707	6 ANSELM EBLE	7 S	7 W	Section 7
--------	-------------	---------------	-----	-----	-----------

The well noted above requires the following corrective action(s) to bring it into compliance:

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.

NOTE: This identification must be readable from 20 feet.

Last Operator Bronco Oil Co., Inc.

Permit	15469	5 VANCE GRIPPENSTROH	5 S	5 W	Section 22
--------	--------------	----------------------	-----	-----	------------

The well noted above requires the following corrective action(s) to bring it into compliance:

Remove all vegetation and inflammable materials from all well operations and facilities as per 312 IAC 16-5-11.

Last Operator Roskee Corp.

Permit	16360	1 J.SAM VARNER	6 S	5 W	Section 24
--------	--------------	----------------	-----	-----	------------

The well noted above requires the following corrective action(s) to bring it into compliance:

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.

NOTE: This identification must be readable from 20 feet.

Last Operator Roskee Corp.

Permit	16700	3 J. SAM & ALBERT VARNER	6 S	5 W	Section 24
--------	--------------	--------------------------	-----	-----	------------

The well noted above requires the following corrective action(s) to bring it into compliance:

Repair the pipes conveying oil and repair all damage caused by the leakage of oil in accordance with 312 IAC 16-5-11.

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.

NOTE: This identification must be readable from 20 feet.

Last Operator Roskee Corp.

Permit	16876	2 J. DAUBY	6 S	5 W	Section 24
--------	--------------	------------	-----	-----	------------

The well noted above requires the following corrective action(s) to bring it into compliance:

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.

NOTE: This identification must be readable from 20 feet.

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Set surface casing below all potable aquifers or circulate cement on the production string of casing in accordance with 312 IAC 16-5-9.

Last Operator Roskee Corp.

Permit	17481	1-B EDWARD HAGAN	6 S	5 W	Section 24
The well noted above requires the following corrective action(s) to bring it into compliance:					

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.

NOTE: This identification must be readable from 20 feet.

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Roskee Corp.

Permit	17600	3 HERMAN & COVA HOWELL	6 S	5 W	Section 24
The well noted above requires the following corrective action(s) to bring it into compliance:					

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.

NOTE: This identification must be readable from 20 feet.

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Remove all vegetation and inflammable materials from all well operations and facilities as per 312 IAC 16-5-11.

Last Operator Roskee Corp.

Permit	17913	4 HERMAN & CORA HOWELL	6 S	5 W	Section 24
The well noted above requires the following corrective action(s) to bring it into compliance:					

Construct a firewall that Forms a continuous barrier around the tank battery capable of holding one and one-half (1 1/2) times the battery capacity in accordance with 312 IAC 16-5-11.

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.

NOTE: This identification must be readable from 20 feet.

Properly fill and level the pit per 312 IAC 16-5-13. NOTE: Evaporation pits are prohibited.

Last Operator Roskee Corp.

Permit	18000	4B EDWARD E. HAGAN	6 S	5 W	Section 24
The well noted above requires the following corrective action(s) to bring it into compliance:					

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.

NOTE: This identification must be readable from 20 feet.

Last Operator Roskee Corp.

Permit	18344	1 EDWARD E. HAGAN	6 S	5 W	Section 24
The well noted above requires the following corrective action(s) to bring it into compliance:					

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.

NOTE: This identification must be readable from 20 feet.

Last Operator Lloyd Chatham

Permit	19323	2 C.C. COTTON	6 S	5 W	Section 28
The well noted above requires the following corrective action(s) to bring it into compliance:					

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.

NOTE: This identification must be readable from 20 feet.

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Roskee Corp.

Permit	19763	1 JOHN RAAF	6 S	5 W	Section 24
The well noted above requires the following corrective action(s) to bring it into compliance:					

Install connections as required to allow field inspector to monitor tubing and annulus pressures at the wellhead per 312 IAC 16-5-14.

Cease injection, perform and pass a mechanical integrity test as prescribed by 312 IAC 16-5-15.

Operate , formally T / A, plug and abandon, or re-permit for production in accordance with IC 14-37-8. NOTE: Operation and T / A require a pressure test.

Last Operator Roskee Corp.

Permit	19764	4 J. & A. VARNER	6 S	5 W	Section 24
The well noted above requires the following corrective action(s) to bring it into compliance:					

Last Operator J. & M. Properties, Inc.

Permit	19970	1 D. SPRINKLE	6 S	4 W	Section 11
The well noted above requires the following corrective action(s) to bring it into compliance:					

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator J. & M. Properties, Inc.

Permit	20309	W-2 D. SPRINKLE	6 S	4 W	Section 11
The well noted above requires the following corrective action(s) to bring it into compliance:					

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator J. & M. Properties, Inc.

Permit	20310	W-1 D. SPRINKLE	6 S	4 W	Section 11
The well noted above requires the following corrective action(s) to bring it into compliance:					

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator J. & M. Properties, Inc.

Permit	20523	1 M. JACOB HEIRS	6 S	4 W	Section 11
The well noted above requires the following corrective action(s) to bring it into compliance:					

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator J. & M. Properties, Inc.

Permit	20864	4 D. SPRINKLE	6 S	4 W	Section 11
The well noted above requires the following corrective action(s) to bring it into compliance:					

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator Roskee Corp.

Permit	21285	4 J. DAUBY	6 S	5 W	Section 24
The well noted above requires the following corrective action(s) to bring it into compliance:					

Cease injection, perform and pass a mechanical integrity test as prescribed by 312 IAC 16-5-15.

Last Operator Roskee Corp.

Permit	21543	2 E. HAGAN	6 S	5 W	Section 24
The well noted above requires the following corrective action(s) to bring it into compliance:					

Cease injection, perform and pass a mechanical integrity test as prescribed by 312 IAC 16-5-15.

Last Operator Roskee Corp.

Permit	21544	1 H. HOWELL	6 S	5 W	Section 24
The well noted above requires the following corrective action(s) to bring it into compliance:					

Cease injection, perform and pass a mechanical integrity test as prescribed by 312 IAC 16-5-15.

Last Operator J. & M. Properties, Inc.

Permit	22392	2 J & M PROPERTIES, INC.	6 S	4 W	Section 14
The well noted above requires the following corrective action(s) to bring it into compliance:					

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator J. & M. Properties, Inc.

Permit	22499	3 F.W. GRASS	6 S	4 W	Section 14
The well noted above requires the following corrective action(s) to bring it into compliance:					

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.
NOTE: This identification must be readable from 20 feet.

Last Operator J. & M. Properties, Inc.

Permit	22584	3 J & M PROPERTIES, INC.	6 S	4 W	Section 11
The well noted above requires the following corrective action(s) to bring it into compliance:					

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator J. & M. Properties, Inc.

Permit	23138	4 J & M PROPERTIES, INC.	6 S	4 W	Section 12
The well noted above requires the following corrective action(s) to bring it into compliance:					

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator Matthew G. Dillon dba Dillon Oil Co

Permit	23757	1 J.D. SIMS	7 S	7 W	Section 7
The well noted above requires the following corrective action(s) to bring it into compliance:					

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.
NOTE: This identification must be readable from 20 feet.

Remove all vegetation and inflammable materials from all well operations and facilities as per 312 IAC 16-5-11.

Last Operator J. & M. Properties, Inc.

Permit	24105	1 MARY EGER	6 S	4 W	Section 14
The well noted above requires the following corrective action(s) to bring it into compliance:					

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator J. & M. Properties, Inc.

Permit	24635	1 W.H & B.G. SCHNAKE	6 S	4 W	Section 14
The well noted above requires the following corrective action(s) to bring it into compliance:					

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator J. & M. Properties, Inc.

Permit	24681	6 J & M PROPERTIES, INC.	6 S	4 W	Section 13
The well noted above requires the following corrective action(s) to bring it into compliance:					

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator

Permit	25276	1 BELL-LEE	5 S	4 W	Section 30
The well noted above requires the following corrective action(s) to bring it into compliance:					

Last Operator J. & M. Properties, Inc.

Permit	25651	5 DAVID SPRINKLE	6 S	4 W	Section 14
The well noted above requires the following corrective action(s) to bring it into compliance:					

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator Inklebarger Drilling Company

Permit	26234	1 C.B. HEMMER	5 S	4 W	Section 19
The well noted above requires the following corrective action(s) to bring it into compliance:					

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.
NOTE: This identification must be readable from 20 feet.

Remove all vegetation and inflammable materials from all well operations and facilities as per 312 IAC 16-5-11.

Last Operator Bronco Oil Co., Inc.

Permit	26735	3 H. WISEMAN	6 S	4 W	Section 6
The well noted above requires the following corrective action(s) to bring it into compliance:					

Operate , formally T / A, plug and abandon, or re-permit for production in accordance with IC 14-37-8. NOTE: Operation and T / A require a pressure test.

Operate , formally T / A, plug and abandon, or re-permit for production in accordance with IC 14-37-8. NOTE: Operation and T / A require a pressure test.

Last Operator Bronco Oil Co., Inc.

Permit	26737	1 Wiseman-Foertsch	6 S	4 W	Section 6
The well noted above requires the following corrective action(s) to bring it into compliance:					

Operate , formally T / A, plug and abandon, or re-permit for production in accordance with IC 14-37-8. NOTE: Operation and T / A require a pressure test.

Operate , formally T / A, plug and abandon, or re-permit for production in accordance with IC 14-37-8. NOTE: Operation and T / A require a pressure test.

Last Operator Bronco Oil Co., Inc.

Permit	26740	1 ELMER PRUESS	6 S	4 W	Section 6
The well noted above requires the following corrective action(s) to bring it into compliance:					

Operate , formally T / A, plug and abandon, or re-permit for production in accordance with IC 14-37-8. NOTE: Operation and T / A require a pressure test.

Operate , formally T / A, plug and abandon, or re-permit for production in accordance with IC 14-37-8. NOTE: Operation and T / A require a pressure test.

Last Operator Bronco Oil Co., Inc.

Permit	26741	3 A. & L. Leistner	6 S	4 W	Section 6
The well noted above requires the following corrective action(s) to bring it into compliance:					

Operate , formally T / A, plug and abandon, or re-permit for production in accordance with IC 14-37-8. NOTE: Operation and T / A require a pressure test.

Operate , formally T / A, plug and abandon, or re-permit for production in accordance with IC 14-37-8. NOTE: Operation and T / A require a pressure test.

Last Operator Roskee Corp.

Permit	26820	1 JOHN RAAF	6 S	5 W	Section 24
The well noted above requires the following corrective action(s) to bring it into compliance:					

Cease injection, perform and pass a mechanical integrity test as prescribed by 312 IAC 16-5-15.

Operate , formally T / A, plug and abandon, or re-permit for production in accordance with IC 14-37-8. NOTE: Operation and T / A require a pressure test.

Install connections as required to allow field inspector to monitor tubing and annulus pressures at the wellhead per 312 IAC 16-5-14.

Last Operator Roskee Corp.

Permit	26821	2-B EDWARD HAGAN	6 S	5 W	Section 24
The well noted above requires the following corrective action(s) to bring it into compliance:					

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Cease injection, perform and pass a mechanical integrity test as prescribed by 312 IAC 16-5-15.

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.
NOTE: This identification must be readable from 20 feet.

Last Operator Roskee Corp.

Permit	26822	4 JOHN RAAF	6 S	5 W	Section 24
The well noted above requires the following corrective action(s) to bring it into compliance:					

Cease injection, perform and pass a mechanical integrity test as prescribed by 312 IAC 16-5-15.

Install connections as required to allow field inspector to monitor tubing and annulus pressures at the wellhead per 312 IAC 16-5-14.

Operate , formally T / A, plug and abandon, or re-permit for production in accordance with IC 14-37-8. NOTE: Operation and T / A require a pressure test.

Last Operator Integrity Energy Systems Inc

Permit	31091	2 LOUIS MEYER	4 S	5 W	Section 22
The well noted above requires the following corrective action(s) to bring it into compliance:					

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator Matthew G. Dillon dba Dillon Oil Co

Permit	31325	1 MARY BARRON	7 S	7 W	Section 7
The well noted above requires the following corrective action(s) to bring it into compliance:					

Install connections as required to allow field inspector to monitor tubing and annulus pressures at the wellhead per 312 IAC 16-5-14.

Perform cleanup operations to properly remove and dispose of oil which was spilled at your facility as per 312 IAC 16-5-11.

Last Operator Empire Oil and Gas Co.

Permit	32983	1 MILLER-POUNDS	7 S	7 W	Section 31
The well noted above requires the following corrective action(s) to bring it into compliance:					

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Empire Oil and Gas Co.

Permit	33116	1 Hedges	7 S	7 W	Section 30
The well noted above requires the following corrective action(s) to bring it into compliance:					

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Empire Oil and Gas Co.

Permit	33205	1 C & G HEDGES	7 S	7 W	Section 31
The well noted above requires the following corrective action(s) to bring it into compliance:					

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10. NOTE: This identification must be readable from 20 feet.

Plug and abandon the well in accordance with 312 IAC 16-5-19. NOTE: This well is not permitted and may not be operated or temporarily abandoned.

Last Operator Integrity Energy Systems Inc

Permit	33557	3 LOUIS MEYER	4 S	5 W	Section 22
The well noted above requires the following corrective action(s) to bring it into compliance:					

Operate , formally T / A, plug and abandon, or re-permit for production in accordance with IC 14-37-8. NOTE: Operation and T / A require a pressure test.

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10. NOTE: This identification must be readable from 20 feet.

Install connections as required to allow field inspector to monitor tubing and annulus pressures at the wellhead per 312 IAC 16-5-14.

Last Operator Integrity Energy Systems Inc

Permit	33657	1 LOUIS MEYER	4 S	5 W	Section 22
The well noted above requires the following corrective action(s) to bring it into compliance:					

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator Lloyd Chatham

Permit	35762	1-A A.J. SAUTER	6 S	5 W	Section 28
The well noted above requires the following corrective action(s) to bring it into compliance:					

Cease injection and repair or replace all equipment so as to confine injected fluids to the permitted interval per 312 IAC 16-5-15.
NOTE: A successful demonstration of mechanical integrity is required after repair.

Last Operator R. E. Phillips

Permit	36400	2-I J.D. HOPKINS	6 S	4 W	Section 15
The well noted above requires the following corrective action(s) to bring it into compliance:					

Replace the bond or plug and abandon the well in accordance with 312 IAC 16-5-19.

Last Operator Empire Oil and Gas Co.

Permit	38309	1 MATTINGLY & PATMORE	7 S	7 W	Section 28
The well noted above requires the following corrective action(s) to bring it into compliance:					

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.
NOTE: This identification must be readable from 20 feet.

Last Operator Lloyd Chatham

Permit	40527	4 WM MACHIN	7 S	5 W	Section 6
The well noted above requires the following corrective action(s) to bring it into compliance:					

Cease injection and repair or replace all equipment so as to confine injected fluids to the permitted interval per 312 IAC 16-5-15.
NOTE: A successful demonstration of mechanical integrity is required after repair.

Last Operator Matthew G. Dillon dba Dillon Oil Co

Permit	41138	2-A LOLA MAE ABBOTT	7 S	7 W	Section 7
The well noted above requires the following corrective action(s) to bring it into compliance:					

Reduce the injection pressure and / or rate to meet the specifications of the permit in accordance with 312 IAC 16-5-14.

Last Operator K.M.R.W. Oil Co.

Permit	43376	1 JAMES CLARK	6 S	4 W	Section 3
The well noted above requires the following corrective action(s) to bring it into compliance:					

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.
NOTE: This identification must be readable from 20 feet.

Last Operator Covenant Oil, Inc.

Permit	47305	1-A RUTH SOUDER	6 S	4 W	Section 2
The well noted above requires the following corrective action(s) to bring it into compliance:					

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.
NOTE: This identification must be readable from 20 feet.

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Hercules Petroleum Co., Inc.

Permit	47705	1 PIPER & RAY	5 S	5 W	Section 7
The well noted above requires the following corrective action(s) to bring it into compliance:					

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Construct a firewall that Forms a continuous barrier around the tank battery capable of holding one and one-half (1 1/2) times the battery capacity in accordance with 312 IAC 16-5-11.

Properly fill and level the pit per 312 IAC 16-5-13. NOTE: Evaporation pits are prohibited.

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.
NOTE: This identification must be readable from 20 feet.

Last Operator Lloyd Chatham

Permit	47723	A-7 WINKLER	6 S	5 W	Section 28
The well noted above requires the following corrective action(s) to bring it into compliance:					

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.
NOTE: This identification must be readable from 20 feet.

Last Operator

Permit	48396	1 Omer Hughes	6 S	5 W	Section 28
The well noted above requires the following corrective action(s) to bring it into compliance:					

Last Operator

Permit	48416	1 R. & L. CRON	7 S	7 W	Section 5
The well noted above requires the following corrective action(s) to bring it into compliance:					

Last Operator Hercules Petroleum Co., Inc.

Permit	51661	4 PIPER & RAY	5 S	5 W	Section 7
The well noted above requires the following corrective action(s) to bring it into compliance:					

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.
NOTE: This identification must be readable from 20 feet.

Properly fill and level the pit per 312 IAC 16-5-13. NOTE: Evaporation pits are prohibited.

Last Operator Cummins Petroleum Co.

Permit	23093	L-9 JOSEPHINE DIX	8 N 10 W	Section 1
--------	--------------	-------------------	----------	-----------

The well noted above requires the following corrective action(s) to bring it into compliance:

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Western Pacific Oil and Gas, Inc.

Permit	32604	1 T. ABRAMS	5 N 10 W	Section 3
--------	--------------	-------------	----------	-----------

The well noted above requires the following corrective action(s) to bring it into compliance:

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Cole Energy Development Co.

Permit	33180	4-A S.E. LINDLEY	8 N 11 W	Section 13
--------	--------------	------------------	----------	------------

The well noted above requires the following corrective action(s) to bring it into compliance:

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Properly fill and level the pit per 312 IAC 16-5-13. NOTE: Evaporation pits are prohibited.

Remove all vegetation and inflammable materials from all well operations and facilities as per 312 IAC 16-5-11.

Last Operator Pyramid Petroleum

Permit	48987	1 PAUL LARR	9 N 8	Section 9
--------	--------------	-------------	-------	-----------

The well noted above requires the following corrective action(s) to bring it into compliance:

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Alexander Peters Jr.

Permit	49553	1 HIATT	7 N 9 W	Section 23
--------	--------------	---------	---------	------------

The well noted above requires the following corrective action(s) to bring it into compliance:

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10. NOTE: This identification must be readable from 20 feet.

Remove all vegetation and inflammable materials from all well operations and facilities as per 312 IAC 16-5-11.

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Lynn Ann Oil Co.

Permit	7458	1 Gartner Community	7 S 11 W	Section 15
--------	-------------	---------------------	----------	------------

The well noted above requires the following corrective action(s) to bring it into compliance:

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Lynn Ann Oil Co.

Permit	7597	1 JOHN STEINKAMP	7 S 11 W	Section 16
--------	-------------	------------------	----------	------------

The well noted above requires the following corrective action(s) to bring it into compliance:

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Lynn Ann Oil Co.

Permit	12771	I-2 KAMP-HAPPE	7 S 11 W	Section 15
--------	--------------	----------------	----------	------------

The well noted above requires the following corrective action(s) to bring it into compliance:

Cease injection, perform and pass a mechanical integrity test as prescribed by 312 IAC 16-5-15.

Operate , formally T / A, plug and abandon, or re-permit for production in accordance with IC 14-37-8. NOTE: Operation and T / A require a pressure test.

Cease injection and provide requested information per 312 IAC 16-5-16.

Last Operator R. E. Anderson Oil Company

Permit	17631	2 WALLER ETAL	7 S 11 W	Section 18
--------	--------------	---------------	----------	------------

The well noted above requires the following corrective action(s) to bring it into compliance:

Properly fill and level the pit per 312 IAC 16-5-13. NOTE: Evaporation pits are prohibited.

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10. NOTE: This identification must be readable from 20 feet.

Last Operator R. E. Anderson Oil Company

Permit	17702	2 P. & I. BURGDORF	7 S 11 W	Section 18
--------	--------------	--------------------	----------	------------

The well noted above requires the following corrective action(s) to bring it into compliance:

Properly fill and level the pit per 312 IAC 16-5-13. NOTE: Evaporation pits are prohibited.

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10. NOTE: This identification must be readable from 20 feet.

Last Operator R. E. Anderson Oil Company

Permit	18362	1 WALTER JOECKEL	7 S 11 W	Section 18
--------	--------------	------------------	----------	------------

The well noted above requires the following corrective action(s) to bring it into compliance:

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10. NOTE: This identification must be readable from 20 feet.

Properly fill and level the pit per 312 IAC 16-5-13. NOTE: Evaporation pits are prohibited.

Last Operator Lynn Ann Oil Co.

Permit	20413	1 KAMP	7 S 11 W	Section 15
--------	--------------	--------	----------	------------

The well noted above requires the following corrective action(s) to bring it into compliance:

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator

Permit	24555	2 LAUBSCHER COMMUNITY	5 S	10 W	Section 31
The well noted above requires the following corrective action(s) to bring it into compliance:					

Last Operator

Permit	24556	1 STUCKI ETAL	5 S	11 W	Section 36
The well noted above requires the following corrective action(s) to bring it into compliance:					

Last Operator Lynn Ann Oil Co.

Permit	24967	I-10 JOHN STEINKAMP	7 S	11 W	Section 16
The well noted above requires the following corrective action(s) to bring it into compliance:					

Cease injection, perform and pass a mechanical integrity test as prescribed by 312 IAC 16-5-15.

Operate , formally T / A, plug and abandon, or re-permit for production in accordance with IC 14-37-8. NOTE: Operation and T / A require a pressure test.

Last Operator Lynn Ann Oil Co.

Permit	25618	I-12 JOHN STEINKAMP	7 S	11 W	Section 16
The well noted above requires the following corrective action(s) to bring it into compliance:					

Operate , formally T / A, plug and abandon, or re-permit for production in accordance with IC 14-37-8. NOTE: Operation and T / A require a pressure test.

Cease injection, perform and pass a mechanical integrity test as prescribed by 312 IAC 16-5-15.

Last Operator R. E. Anderson Oil Company

Permit	29018	1B LUISE & PAUL BURGDORF	7 S	11 W	Section 18
The well noted above requires the following corrective action(s) to bring it into compliance:					

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10. NOTE: This identification must be readable from 20 feet.

Clean oil and debris from pit areas in accordance with 312 IAC 16-5-11.

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator R. E. Anderson Oil Company

Permit	35456	3 ANNA & WALTER JOECKEL	7 S	11 W	Section 18
The well noted above requires the following corrective action(s) to bring it into compliance:					

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator R. E. Anderson Oil Company

Permit	35619	3B LOUISE BECKER BURGDORF	7 S	11 W	Section 18
The well noted above requires the following corrective action(s) to bring it into compliance:					

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Walter S. Miller

Permit	36387	1 COMM E.H. BROMM, ETAL	5 S	11 W	Section 14
The well noted above requires the following corrective action(s) to bring it into compliance:					

Remove all vegetation and inflammable materials from all well operations and facilities as per 312 IAC 16-5-11.

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10. NOTE: This identification must be readable from 20 feet.

Permit	39187	6 L. B. Burgdorf	7 S	11 W	Section 18
--------	--------------	------------------	-----	------	------------

The well noted above requires the following corrective action(s) to bring it into compliance:

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

County **Vigo**

Last Operator Trident Petroleum Corporation

Permit	50743	1 CARL & DOROTHY EMRICK	12 N	10 W	Section 2
--------	--------------	-------------------------	------	------	-----------

The well noted above requires the following corrective action(s) to bring it into compliance:

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.
NOTE: This identification must be readable from 20 feet.

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Pay the annual well fee

County **Wabash**

Last Operator H.P.R. Oil Company, Inc.

Permit	30285	1-H J. W. CHAMBERLAIN	28	N	6	E	Section 13
--------	--------------	-----------------------	----	---	---	---	------------

The well noted above requires the following corrective action(s) to bring it into compliance:

Pay the annual well fee

Last Operator Meteor Developments of Indiana Inc.

Permit	30481	2H JOHN CHAMERLAIN	28	N	6	E	Section 13
--------	--------------	--------------------	----	---	---	---	------------

The well noted above requires the following corrective action(s) to bring it into compliance:

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Remove all vegetation and inflammable materials from all well operations and facilities as per 312 IAC 16-5-11.

Last Operator Meteor Developments of Indiana Inc.

Permit	30487	4 JOHN CHAMBERLAIN	28	N	6	E	Section 13
--------	--------------	--------------------	----	---	---	---	------------

The well noted above requires the following corrective action(s) to bring it into compliance:

Properly fill and level the pit per 312 IAC 16-5-13. NOTE: Evaporation pits are prohibited.

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Meteor Developments of Indiana Inc.

Permit	30518	2 JOHN CHAMBERLAIN	28	N	6	E	Section 13
--------	--------------	--------------------	----	---	---	---	------------

The well noted above requires the following corrective action(s) to bring it into compliance:

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Remove all vegetation and inflammable materials from all well operations and facilities as per 312 IAC 16-5-11.

Last Operator Meteor Developments of Indiana Inc.

Permit	30519	3 JOHN CHAMBERLAIN	28	N	6	E	Section 13
--------	--------------	--------------------	----	---	---	---	------------

The well noted above requires the following corrective action(s) to bring it into compliance:

Remove all vegetation and inflammable materials from all well operations and facilities as per 312 IAC 16-5-11.

Operate , formally T / A, plug and abandon, or re-permit for production in accordance with IC 14-37-8. NOTE: Operation and T / A require a pressure test.

Last Operator Meteor Developments of Indiana Inc.

Permit	30551	4H JOHN CHAMBERLAIN	28	N	6	E	Section 13
--------	--------------	---------------------	----	---	---	---	------------

The well noted above requires the following corrective action(s) to bring it into compliance:

Remove all vegetation and inflammable materials from all well operations and facilities as per 312 IAC 16-5-11.

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Meteor Developments of Indiana Inc.

Permit	30658	5-H JOHN W. CHAMBERLAIN	28	N	6	E	Section 13
--------	--------------	-------------------------	----	---	---	---	------------

The well noted above requires the following corrective action(s) to bring it into compliance:

Remove all vegetation and inflammable materials from all well operations and facilities as per 312 IAC 16-5-11.

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Meteor Developments of Indiana Inc.

Permit	33448	6SC JOHN W. CHAMBERLAIN	28	N	6	E	Section 13
--------	--------------	-------------------------	----	---	---	---	------------

The well noted above requires the following corrective action(s) to bring it into compliance:

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Remove all vegetation and inflammable materials from all well operations and facilities as per 312 IAC 16-5-11.

Last Operator Meteor Developments of Indiana Inc.

Permit	39283	1 JOHN & OMBRA KEEFABER	28	N	6	E	Section 23
The well noted above requires the following corrective action(s) to bring it into compliance:							

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.
NOTE: This identification must be readable from 20 feet.

Last Operator Meteor Developments of Indiana Inc.

Permit	40427	3 KEFFABER	28	N	6	E	Section 23
The well noted above requires the following corrective action(s) to bring it into compliance:							

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.
NOTE: This identification must be readable from 20 feet.

Last Operator Meteor Developments of Indiana Inc.

Permit	42266	5 KEFFABER	28	N	6	E	Section 23
The well noted above requires the following corrective action(s) to bring it into compliance:							

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.
NOTE: This identification must be readable from 20 feet.

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Robert H. Terry, M.D.

Permit	29680	3 J.R. SCALES	5 S	6 W	Section 5
--------	--------------	---------------	-----	-----	-----------

The well noted above requires the following corrective action(s) to bring it into compliance:

Construct a firewall that Forms a continuous barrier around the tank battery capable of holding one and one-half (1 1/2) times the battery capacity in accordance with 312 IAC 16-5-11.

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.

NOTE: This identification must be readable from 20 feet.

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Robert H. Terry, M.D.

Permit	32199	1 JOHN RAYMOND SCALES	5 S	6 W	Section 8
--------	--------------	-----------------------	-----	-----	-----------

The well noted above requires the following corrective action(s) to bring it into compliance:

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.

NOTE: This identification must be readable from 20 feet.

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Mid States Oil Co., Inc.

Permit	40406	1 WILLARD MEYER FARMS INC.	4 S	6 W	Section 10
--------	--------------	----------------------------	-----	-----	------------

The well noted above requires the following corrective action(s) to bring it into compliance:

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.

NOTE: This identification must be readable from 20 feet.

Remove all vegetation and inflammable materials from all well operations and facilities as per 312 IAC 16-5-11.

Last Operator Mid States Oil Co., Inc.

Permit	40872	1 ELOISE MOESNER	4 S	6 W	Section 11
--------	--------------	------------------	-----	-----	------------

The well noted above requires the following corrective action(s) to bring it into compliance:

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.

NOTE: This identification must be readable from 20 feet.

Remove all vegetation and inflammable materials from all well operations and facilities as per 312 IAC 16-5-11.

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Mid States Oil Co., Inc.

Permit	41553	1 WIEBE COMMUNITY	4 S	6 W	Section 10
--------	--------------	-------------------	-----	-----	------------

The well noted above requires the following corrective action(s) to bring it into compliance:

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Remove all vegetation and inflammable materials from all well operations and facilities as per 312 IAC 16-5-11.

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.

NOTE: This identification must be readable from 20 feet.

Last Operator Mid States Oil Co., Inc.

Permit	42063	1 MOESNER MEYER KUHN	4 S	6 W	Section 11
--------	--------------	----------------------	-----	-----	------------

The well noted above requires the following corrective action(s) to bring it into compliance:

Remove all vegetation and inflammable materials from all well operations and facilities as per 312 IAC 16-5-11.

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.

NOTE: This identification must be readable from 20 feet.

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator Mid States Oil Co., Inc.

Permit	42529	1 L.&D. HILDENBRAND/ST. IN.	4 S	6 W	Section 1
The well noted above requires the following corrective action(s) to bring it into compliance:					

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.
NOTE: This identification must be readable from 20 feet.

Last Operator Inklebarger Drilling Company

Permit	43048	1 HERBERT J. AREND	5 S	7 W	Section 15
The well noted above requires the following corrective action(s) to bring it into compliance:					

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator M. W. C. Oil Company

Permit	45742	1 John King etal	5 S	7 W	Section 5
The well noted above requires the following corrective action(s) to bring it into compliance:					

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Perform cleanup operations to properly remove and dispose of oil which was spilled at your facility as per 312 IAC 16-5-11.

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.
NOTE: This identification must be readable from 20 feet.

Last Operator Covenant Oil, Inc.

Permit	46825	1 CHARLES W. SCHAAD	5 S	7 W	Section 28
The well noted above requires the following corrective action(s) to bring it into compliance:					

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator

Permit	48026	1 LENE & BLESSINGER	5 S	6 W	Section 4
The well noted above requires the following corrective action(s) to bring it into compliance:					

Last Operator

Permit	48274	1H EDWARD FRANZ ETAL.	5 S	7 W	Section 22
The well noted above requires the following corrective action(s) to bring it into compliance:					

Last Operator Inklebarger Drilling Company

Permit	48324	CU-2 Blessinger-Lene	5 S	6 W	Section 4
The well noted above requires the following corrective action(s) to bring it into compliance:					

Properly remove and dispose of oil and waste fluids from the inside of the firewall per 312 IAC 16-5-11.

Last Operator Double J Oil & Gas Company, Inc.

Permit	48447	1 GLENNETH KOHLMAYER	4 S	9 W	Section 8
The well noted above requires the following corrective action(s) to bring it into compliance:					

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Post well and lease identification showing the Permit Number, Lease Name, Section, Township and Range per 312 IAC 16-5-10.
NOTE: This identification must be readable from 20 feet.

Last Operator Inklebarger Drilling Company

Permit	50320	2 NOEL J. MARTIN ETAL	5 S	6 W	Section 17
The well noted above requires the following corrective action(s) to bring it into compliance:					

Last Operator Inklebarger Drilling Company

Permit	50450	I#3 HERBERT & MARY AREND	5	S	7	W	Section 15
The well noted above requires the following corrective action(s) to bring it into compliance:							

Remove all vegetation and inflammable materials from all well operations and facilities as per 312 IAC 16-5-11.

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Last Operator

Permit	50770	I-1 PEGGY SELLER	5	S	7	W	Section 27
The well noted above requires the following corrective action(s) to bring it into compliance:							

Last Operator Inklebarger Drilling Company

Permit	51485	I-3 PEGGY SEILER	5	S	7	W	Section 27
The well noted above requires the following corrective action(s) to bring it into compliance:							

Remove all vegetation and inflammable materials from all well operations and facilities as per 312 IAC 16-5-11.

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Properly fill and level the pit per 312 IAC 16-5-13. NOTE: Evaporation pits are prohibited.

Last Operator Inklebarger Drilling Company

Permit	51533	I-1-A PEGGY SEILER	5	S	7	W	Section 27
The well noted above requires the following corrective action(s) to bring it into compliance:							

Operate , or plug and abandon , or obtain a temporary abandonment permit for the well per 312 IAC 16-5-20. NOTE: A pressure test is required prior to obtaining a temporary abandonment permit.

Remove all vegetation and inflammable materials from all well operations and facilities as per 312 IAC 16-5-11.

***For purposes of this list an orphan well is defined as a well for which the permit was revoke**